




KONICA MINOLTA



bizhub PRESS 

The next dimension in digital colour print production

ColorOne



KONICA MINOLTA



COO

Colour is of tremendous importance in today's world of information overflow and ultra-fast communication. Amazingly vivid colours will bring any message across – with that in mind Konica Minolta created an absolute innovation! This unique digital colour press with revolutionary High Chroma toner technology produces truly magnificent colours unlike any ever experienced before.



bizhub PRESS 
C70hc

Made for

Colour

Konica Minolta's extraordinary bizhub PRESS C70hc features the revolutionary HC toner with the singular ability to reproduce RGB colours more faithfully than any toner technology before. The bizhub PRESS C70hc has a colour space that comes very close to the sRGB gamut. This enhances the colour reproduction range considerably and creates colours on paper that are closer to the natural world, to originals and to monitor images than anything previously possible.

Always striving to provide better quality faster and at competitive prices, creative professionals, graphic designers and specialists from the graphic arts industry as well as commercial printers and print providers will appreciate the unequalled performance of the bizhub PRESS C70hc.

Konica Minolta's digital colour press matches its RGB capabilities with the advantages of affordable access and versatile variable data processing – making this the perfect digital production solution for short-run printing within the tightest of deadlines.



With a print speed of 71 colour pages per minute, the bizhub PRESS C70hc is a worthwhile and highly affordable investment that offers value-added printing at its best. Commercial printers, print providers and graphic arts professionals as well as end users like advertising agencies or retail chains, will benefit from the possibility to differentiate their performance, products and services from whatever else the market offers.

Pioneering technology, **exceptional colours**

At a time when sales, marketing and product messages are no longer communicated exclusively in print but also via the Internet and on mobile communication devices, professionals in the graphics sector have begun to switch their colour management from the traditional CMYK process to the more flexible RGB workflow.

This offers a considerable advantage for cross-media communication: Its ability to adapt to a wide range of output formats much facilitates promoting a unified corporate and brand identity across widely differing communication platforms.





A boost to cross-media communication

- The unique HC toner on the innovative bizhub PRESS C70hc has been specifically developed to provide valuable support for RGB workflows. Its range of capabilities makes this the one-and-only solution for value-added printing applications:
- The bizhub PRESS C70hc's revolutionary HC toner produces unbelievably vivid and natural colours. Thanks to seamless integration with RGB colour workflows colour setup and colour conversion is fast and easy – colours will be printed virtually as shown on the monitor, following the WYSIWYG principle.
- The bizhub PRESS C70hc combines this exceptional colour quality with impressive media flexibility and comprehensive in-line finishing capabilities, demonstrating absolute competence for the production of the most diverse print products in short or longer print runs.
- Offering a choice of Konica Minolta, EFI and Creo controllers, the bizhub PRESS C70hc meets the challenges of professional high-speed digital colour printing with optimised workflow solutions and delivers simply brilliant results.

C70hc is ideal for short-run and variable data printing; with its economic performance every run length, down to an individual photo book, becomes profitable. The range of conceivable applications is extensive and includes the production of direct mail pieces as well as marketing collateral. Computer graphics, brochures, business cards as well as labels will all benefit from production on the bizhub PRESS C70hc. The same applies to POS materials for stores, department stores, supermarket chains or similar. Photos and photo books in particular are perfect examples of how to use the wide colour space that can be achieved with the bizhub PRESS C70hc.



Colour processing technologies

The bizhub PRESS C70hc feature the latest in Konica Minolta's very own, advanced colour processing technology. Innovations like S.E.A.D. II, ITbit technology, CRS, HC toner and Konica Minolta's "air-assist" paper feeding technology provide an unbeatable combination of outstanding quality and smooth processing, ensuring perfect results and highest reliability.



Powerful choice of controllers

To satisfy the diverse requirements of the most varied professional printing environments, the bizhub PRESS C70hc can be equipped with one of three different controllers:

- The external EFI controller IC-306 is a viable all-round player that supports the impressive system functionality with latest Fiery technology and provides an intuitive, user-friendly interface between operator and digital press.
- The external CREO controller IC-307 is the perfect solution for VDP applications (Creo VPS) and an ideal choice for hybrid prepress workflows. Proprietary Creo Colour Server technology supports the bizhub PRESS C70hc as robust workflow solutions with outstanding print quality and exceptional productivity
- The embedded Konica Minolta controller IC-601 offers affordable colour management as well as seamless integration with a wide range of Konica Minolta applications. The highlight of the IC-601 is its complete integration with the bizhub PRESS C70hc with controller operations available directly from the machine operations screen.





S.E.A.D. II

Developed by Konica Minolta, S.E.A.D. II stands for Screen-Enhancing Active Digital Process and combines an array of technical innovations to guarantee truly exceptional colour reproduction at top speed. S.E.A.D. II represents the second generation of Konica Minolta's advanced colour processing technology and includes these important capabilities:

1,200 x 1,200 dpi x 8 bit print resolution


The impressive print resolution on the bizhub PRESS C70hc reproduces finest characters and thinnest lines to perfection. In combination with proprietary HC toner, this results in an almost offset-like print quality.

FM screen technology

Also thanks to the excellent resolution of 1,200 dpi, the bizhub PRESS C70hc provide additional screens for higher quality prints, enabling smoother and more realistic image reproductions that are a perfect match to print data. The newly adopted Frequency Modulated (FM) screen technology ensures smooth moiré and jagged free images.

ITbit technology

Outline processing improves the appearance of characters by thinning them so they do not appear fat. Contour processing helps to reproduce white characters on backgrounds with ideal proportions and reduces jagged edges of half-tone characters.





COOL

Discover
the
true
definition
of

QUIK

Discover



HC
toner

Unequaled luminance, **outstanding vividness**

With the development of its revolutionary High Chroma toner technology, Konica Minolta has done pioneer work that is likely to create a new demand and shape a new market. The remarkable performance of the bizhub PRESS C70hc is based on the HC toner that gives colours outstanding luminance and offers exceptional value for the production of the most diverse range of marketing and advertising collateral.


HC
toner





The HC toner is derived from Konica Minolta's toner technology Simitri[®]HD, and features much higher colour saturation than possible with the conventional CMYK process. It uses colour material which is closely associated with colour vividness. As a result, the CMYK toner colours are perceived by the human eye as significantly brighter.

The most important feature of the HC toner is its ability to reproduce a larger portion of the sRGB gamut than previously possible. As a consequence, the bizhub PRESS C70hc's gamut is extremely close to that of sRGB. The similarity of the gamut shape to sRGB makes colour conversion relatively easy. Thanks to such close sRGB coverage colours can be reproduced almost as they are displayed for example on a PC monitor.

- The HC toner is based on Konica Minolta's proprietary Simitri[®]HD (high definition) polymerised toner. In an extensive research and development process of several years, Konica Minolta created this unique toner to guarantee the outstanding image quality of its digital colour presses. Also after its introduction, the remarkable properties of Simitri[®]HD polymerised toner are continuously being refined and optimised – one of the aspects that lead to the development of the unique HC toner.

- The HC toner is produced in a singular polymerisation process. The resulting toner particles are sustainability smaller and have a more uniform shape than conventionally produced toners. With these minuscule, uniformly shaped toner particles the HC toner achieves an image quality second to none. Razor-sharp text and lines, and a smooth finish that rivals offset printing are just some of its characteristics.
- Additionally the HC toner technology offers great quality improvements for colour photos and illustrations and produces perfectly crisp and sharp prints at reduced consumption levels. The professional oil-free print finish allows handwriting on any document. In this way, impressively coloured direct mail pieces or POS materials in vivid colours can be created that attract readers and users, raise response rates and increase the likelihood of such brightly styled products being bought.
- The HC toner conserves energy as it requires considerably lower fusing temperatures. This also means that it is very economic to use but nevertheless supports the processing of an impressive media range. At the same time, its eco-friendly manufacturing and printing processes generate less waste toner and reduced CO2 emissions.
- The bizhub PRESS C70hc is the perfect solution for professionals who strive to differentiate themselves, their products and services from their competitors, and who want to add value to on-demand printing.

Precise reproduction of image and text

Pulverised Toner



HC Toner




Ultimate versatility from start to finish

Professional finishing of the printed product is an integral part of any production run – however, flexibility is the key.


bizhub PRESS C70hc (main unit)

Professional finishing starts right inside the bizhub PRESS C70hc – a variety of advanced features ensures the production of sophisticated document formats. For example mixplex allows to combine single- and double-sided pages within one document. Mixmedia lets the user specify individual paper types from various trays on page-level. The combined mixmedia and mixplex function fully automates the production of complex one- and two-sided documents on different media.




Paper feed unit (LU-202)

Equipped with the large capacity cassette LU-202 the bizhub PRESS C70hc can be loaded with up to 4,250 sheets of paper; and with air assist paper feeding and optional dehumidifier it is capable to print on various types of media.



Paper feed unit (PF-602)


The paper feed unit PF-602 increases the paper input capacity to 7,500 sheets. Its air-assist paper feeding and optional dehumidifier further enhance the media flexibility of the bizhub PRESS C70hc.






Stapling unit (FS-521)

Equipped with the FS-521 the bizhub PRESS C70hc provides multi-position stapling making this the perfect choice for the production of manuals, reports and other extensive documentation.



Booklet finisher (FS-612)*

Upgrading the bizhub PRESS C70hc with the booklet finisher will automate the production of booklets and brochures, providing a convenient and productive in-line half-fold and saddle-stitching functionality.




Folding and punching unit (FD-503)

The ideal choice for the production of mailings, flyers and more, the FD-503 is used to its best adader. The folding and punching unit provides six differ-ent folding schemes.



Multi (GBC) punching unit (GP-501)****


The multi punching unit offers high performance multi (GBC) punching of sheets at full system speed in preparation for offline spiral binding. Various available die sets correspond to the most popular punching schemes, such as metal-based coil (velo) and plastic (comb) binding.





Stacking unit (LS-505)

Equipped with the large capacity stacker unit, the bizhub PRESS C70hc are perfectly suited for integration into environments with existing finishing facilities, such as insertion or postage metering facilities. A big improvement to all near-line finishing work.



Booklet making unit (SD-506)

The booklet making unit provides tangible added value as ideal finishing equipment for all kinds of saddle stitched and trimmed booklets. It speeds up the online production of leaflets, brochures, catalogues and other marketing, sales and training materials.



Perfect binding unit (PB-503)

This is the finisher for inline production of all kinds of perfect-bound books. The functionality includes Z-fold insertion and insertion of pre-printed colour covers and sheets. Book binding is possible for books with up to 30 mm spine width and includes inline cover trimming. The integrated cover tray has a capacity for up to 1,000 sheets; and the perfect bound books are output into a trolley stacker.



* optional post inserter (PI-502) and punch kit (PK-512/513) available, ** requires PK-512/513, *** requires PI-502, **** requires RU-506, ***** requires FD-503

Technical Specifications

Printer specifications

Print speed A4

Up to 71 ppm

Print speed A3

Up to 38 ppm

Print resolution

1,200 x 1,200 dpi x 8 bit
Max.: 1,200 x 3,600 dpi equivalent

Gradations

256 gradations

System specifications

Paper weight

64–256 gsm, up to 300 gsm

Duplex unit

Non-stack type, 64–300 gsm

Paper sizes

A5–A3+ (330 x 487 mm)

Maximum image area

321 x 480 mm

Paper input capacity

Max.: 7,500 sheets
Main unit: up to 1,500 sheets
PF-602: up to 6,000 sheets
LU-202: up to 2,500 sheets

Paper output capacity

Max.: 13,600 sheets
Stacking unit with trolley: 5,000 sheets
Large capacity tray: 3,000 sheets
Per sub tray: 200 sheets

Main unit dimensions (W x D x H mm)

760 x 992 x 1076 mm

Main unit weight

356 kg (only main unit)

Controller specifications

IC-306 EFI Fiery controller

CPU

@Intel Core2 Quad @ 2.66 GHz

RAM

2 GB high-speed memory

HDD

160 GB SATA hard drive

Interface

Ethernet (10/100/1000-Base-T)

File formats

Adobe® PostScript® Level 1, 2, 3
Adobe® PDF 1.4, 1.5, 1.6, 1.7;
PDF/X-1a, 3; EPS(option); TIFF(option);
TIFF/IT(option); JPEG(option);
PPML; Creo VPS compatible
Fiery® FreeForm™ v1/Fiery®
FreeForm™ v2.1

Client environments

Windows® 7/2000/XP/Vista™
Windows® Server 2003/2008
Macintosh® OSX (10.3.9 or later)
Intel Macintosh OSX (10.4 or later)

IC-307 Creo/Kodak Controller

CPU

@Intel Corei7 @ 2.8 GHz

RAM

2 GB system memory
3 GB image memory

HDD

2 x 500 GB system memory
2 x 500 GB image memory

Interface

Ethernet (10/100/1000-Base-T)

File formats

Adobe® PostScript® Level 1, 2, 3
Adobe® PDF 1.3 1.4, 1.5, 1.6, 1.7;
PDF/X-1a; EPS; TIFF (except for
Progressive JPEG and JPEG 2000);
CT/LW
Creo Variable Print Specification
PPML

Client environments

Windows® 7/XP/Vista™
Windows® Server 2003/2008
Intel Macintosh OSX up to 10.6 (64bit)

IC-601 Konica Minolta embedded controller

CPU

@Intel Core2Duo @ 2.8 GHz

RAM

4 GB high-speed memory

HDD

2 x 500 GB SATA disc space

Interface

Ethernet (10/100/1000-Base-T)

File formats

Adobe® PostScript® 3; PCL 5c/6;
Native PDF; PDF 1.7; PDF/X-1a, X-3;
EPS; TIFF, TIFF/IT; JPEG; PPML

Client environments

Windows® 7/2000/XP/Vista™
Windows® Server 2003/2008
Intel Macintosh OSX (10.4.x to 10.6.x)

Accessories

Large Capacity Tray LU-202

Paper capacity: up to 2,500 sheets
Paper weight: 64 to 300 gsm
Standard paper sizes: B5 - SRA3
Min. paper size: 210 x 182 mm
Max. paper size: 330 x 487 mm

Paper feed unit PF-602

Paper capacity: up to 6,000 sheets
Paper weight: 64–300 gsm (lower tray)
Standard paper sizes: B4–SRA3
Min. paper size: 100 x 148 mm
(lower tray)
Max. paper size: 330 x 487 mm

Folding and punching unit FD-503

Pre-printed sheet insertion (PI): 2 PI trays
of 500 sheets each
Punching (2 and 4 hole)
Folding (half-fold, z-fold, gate-fold, letter
fold in, letter fold out,
double-parallel-fold)
Sub tray for up to 200 sheets

Multi (GBC) punching unit GP-501

Multi punching of A4 sheets
User replaceable die sets for: velo bind,
plastic comb, wire bind, colour coil,
pro click
Paper weight: 75–216 gsm

Booklet making unit SD-506

Booklet making of up to 50 sheets (200
images)
Saddle stitching, trimming

Output tray for up to 50 booklets
Multi letter fold in (up to 5 sheets)
Multi half fold (up to 5 sheets)

Stacking unit LS-505

Up to 5,000 sheets stacking capacity
Trolley mounted stacker
Auto-shift stacking
Sub tray for up to 200 sheets
Paper clamp mechanism

Perfect binding units PB-503

Hot melt glue binding system
Integrated 1-side trimming of cover
sheets

Books from A5 up to A4+ (307 x 221
mm)

Books from 10 sheets up to 30 mm
spine width

Cover paper tray for up to 1,000 sheets

Sub tray for up to 200 sheets

Book stacking capacity of up to 3,300
sheets 2 stacks

Books from 10 sheets up to 30 mm
spine width

Cover paper tray for up to 1,000 sheets

Sub tray for up to 200 sheets

Book stacking capacity of up to 3,300
sheets 2 stacks

Books from 10 sheets up to 30 mm
spine width

Cover paper tray for up to 1,000 sheets

Sub tray for up to 200 sheets

Book stacking capacity of up to 3,300
sheets 2 stacks

Books from 10 sheets up to 30 mm
spine width

Cover paper tray for up to 1,000 sheets

Sub tray for up to 200 sheets

Book stacking capacity of up to 3,300
sheets 2 stacks

Books from 10 sheets up to 30 mm
spine width

Cover paper tray for up to 1,000 sheets

Sub tray for up to 200 sheets

Book stacking capacity of up to 3,300
sheets 2 stacks

Books from 10 sheets up to 30 mm
spine width

Cover paper tray for up to 1,000 sheets

Sub tray for up to 200 sheets

Book stacking capacity of up to 3,300
sheets 2 stacks

Books from 10 sheets up to 30 mm
spine width

Cover paper tray for up to 1,000 sheets

Sub tray for up to 200 sheets

Book stacking capacity of up to 3,300
sheets 2 stacks

HC
toner

Adobe® PostScript® 3™



Simitri
with Biomass





KONICA MINOLTA

Konica Minolta
Business Solutions Australia Pty Ltd

Free Call 1800 789 389
konicaminolta.com.au

New South Wales

4 Drake Avenue
Macquarie Park NSW 2113
(02) 8026 2222

Victoria

21-29 Moray Street
Southbank VIC 3006
(03) 8699 0777

Queensland

64 Brookes Street
Bowen Hills QLD 4006
(07) 3872 9100

ACT

1/55 Wentworth Avenue
Kingston ACT 2604
(02) 6206 6500

South Australia

255 Gilbert Street
Adelaide SA 5000
(08) 8231 2911

Western Australia

50 Belgravia Street
Belmont WA 6104
(08) 9479 6600



Printed on the bizhub PRESS C70HC

Product appearance, configuration and/or specifications are subject to change without notice.

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simltri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Microsoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.



Ecology & Environment

KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind.

- Energy Star
- Eco-conscious Toners
- RoHS Compliance
- Production at ISO Certified Factories
- WEEE Compliance

⚠ Requirements for safe use.

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).

All specifications relating to paper capacity refer to A4 size paper of 80 gsm quality.

All specifications relating to scanning, copying or printing speeds refer to A4 size paper that is scanned, copied or printed crosswise in multi-page, simplex mode.

The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations.

Some of the product illustrations contain optional accessories.

Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.

Konica Minolta does not warrant that all specifications mentioned will be error-free.

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries.

All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.