

KONICA MINOLTA

Giving Shape to Ideas

**OUTSTANDING SPEED.
SEAMLESS INTEGRATION.**



bizhub
4752/4052
4422/3622

A4 Monochrome MFPs

bizhub A4 monochrome MFPs for any environment

From busy, compact locations to large scale offices, find the perfect fit for your space. Choose from a range of high-speed monochrome MFPs designed to keep up with your business.


LARGE &
MEDIUM
SCALE OFFICES


SOHO OR
SHOP SPACES



bizhub 4752

The high functionality of a full-scale MFP, combined with speed and excellent network affinity. Printing up to 47 ppm and capable of operating seamlessly as part of a larger bizhub network, bizhub 4752 is an excellent choice for customers who require not only speed, but great features and functions as well.

Black and White 47 ppm
Colour Scan 60 ipm*
B&W Scan 90 ipm
Electrostatic touch panel 7 inches



* double-sided scan



bizhub 4052

Complete with the same large 7-inch touch panel display and A4 paper size compatible colour scanner as bizhub 4752, bizhub 4052 offers 40 ppm high-speed and outstanding affinity with bizhub A3 MFPs.

Black and White 40 ppm
Colour Scan 60 ipm*
B&W Scan 94 ipm
Electrostatic touch panel 7 inches



* double-sided scan

Black and White 44 ppm
Colour Scan 20 ipm
B&W Scan 42 ipm
Electrostatic touch panel 4.3 inches



bizhub 4422

High-speed, with low operating costs, this all-rounder is perfect for small- to mid-size offices. Capable of 44 ppm, Super 3G faxing and colour scanning, bizhub 4422 is built for speed and efficiency.

Black and White 36 ppm
Colour Scan 20 ipm
B&W Scan 42 ipm
Electrostatic touch panel 2.4 inches



bizhub 3622

Compact size and solid performance make the bizhub 3622 ideal as a main machine for small offices. 36 ppm performance combined with colour scanning and Super 3G faxing as standard make this machine an excellent all-rounder.

Outstanding speed and seamless integration into existing MFP networks

High speed printing

No one wants to wait around for their work to finish printing. Outputting 47 ppm and 40 ppm respectively when printing or copying on A4 size paper, bizhub 4752 and 4052 are designed to boost your efficiency. Pick up your first page in under 8.5 seconds.


Compact design & no need for extra wires

Some spaces just aren't large enough for a full size MFP. With a footprint of only around 0.25 m², these compact bizhub MFPs are small enough to keep on your desktop or in any convenient space while still offering a wide range of great features. They are also ideal as sub machines in a larger network of MFPs, and wireless capability makes it possible to install them wherever is convenient for you, without the need to install extra LAN wiring.




Two sides on one page

Copy the front and back of small documents onto one sheet of A4 paper. Ideal for copying licenses, business cards or other small documents without wasting paper.



Large capacity paper feed

Increase the standard 550-sheet paper capacity with optional paper feed units. A 100-sheet manual bypass tray or up to three additional 550- and/or 250-sheet paper feeding units can be installed to increase paper capacity while keeping the same compact footprint.



Complete control via the 7-inch touch panel

Konica Minolta's smart user interface, INFO-Palette, shines on the large 7-inch electrostatic touch panel. Easy to understand and even easier to use, the smartphone-like operability makes controlling your bizhub simple.



Get smart with mobile printing & scanning

Konica Minolta Mobile Print

Print and scan directly to and from your smartphone or tablet when connected to your office Wi-Fi. Then upload straight to the cloud from your device. Fast and secure, Konica Minolta Mobile Print even allows you to use your smartphone to touch in on the NFC tag on your MFP.*




KONICA MINOLTA
Mobile Print



*Only available for Android devices equipped with an NFC antenna. For iPhone and iPad, download Konica Minolta Mobile Print from the App Store. For Android devices, download Konica Minolta Mobile Print from Google Play. For Windows mobile, download Konica Minolta Mobile Print from Microsoft Store.

AirPrint

Easily print from Mac OS and iOS devices without a printer driver.



Konica Minolta Print Service

Standard Android Print functions can print directly to bizhub. Available for Android OS only.



Mopria Print Service

Print from devices using an Android OS without a printer driver.



Google Cloud Print

Print via the internet from iOS devices, Android devices and PCs without a printer driver.



Scan in colour


Easily scan documents with single-side scanning at 30 ipm in colour, and 47 ipm in black and white. What's more, thanks to the high-speed DADF (duplexing automatic document feeder) equipped as standard, the speed doesn't change when you need to scan double sided documents. Process up to 60 ipm in colour and 94 ipm in black and white.



*DADF bizhub 4052/4752 only

Paperless sharing

Scan documents into a range of formats including three different types of PDF, TIFF, JPEG and pptx, and then share it in the way that suits you.



User authentication

Optional authentication systems allow administrators to set restrictions on copying, printing, scanning and faxing, so you can create an authentication system that suits your office needs.

Print from USB

Data stored on a USB memory device can be printed directly from the USB port on the front of the bizhub's control panel. Print from a range of document and image formats including DOCX, PPTX, PDF, JPEG, PNG and TIFF.

Expand your potential with i-Option

i-Option expands the potential of your bizhub. Easily install extensions, such as barcode fonts, Unicode fonts, OCR fonts and ThinPrint functionality.

Keep your documents secure

Security is crucial, no matter what size your business is. These bizhub models meet IEEE 2600.1 international protection profile standards. All security features have been independently evaluated and certified ISO 15408 EAL3 compliant, so you can print in confidence, knowing your documents are secure.

Small but powerful all round performance for smaller work environments

Cost-effective printing

Optimised for small offices, bizhub 4422 and 3622 deliver outstandingly low total cost of operation, giving you savings on both initial costs and running costs.

bizhub 4422




bizhub 3622



A small footprint to save space

With a footprint of just 0.21 m², these MFPs are small enough to keep on your desktop. What's more, optional Wi-Fi connectivity for bizhub 4422 allows for set up at any convenient location inside your office space with no need to install additional LAN cables.



Easy-to-read colour LCD display

The bizhub 4422 and 3622 feature colour LCD panels to display copy, print, scan and fax modes. The 4422's large 4.3 inch display lets you to see exactly what you are doing, allowing you to quickly review documents and select settings or print modes. The 3622 features a more compact, yet crystal clear 2.4 inch colour display, making browsing through setting easy.

Increasing paper capacity is simple

Add up to three 550- and/or 250-sheet paper feeding units to increase paper capacity while keeping the same compact footprint.



bizhub 4422
Max. paper capacity:
2,000 sheets (75 g/m²)

bizhub 3622
Max. paper capacity:
900 sheets (75 g/m²)

Optional paper feeding unit
PF-P16
550 sheets (75 g/m²)

Scan in colour

Scan one-sided documents at 20 ppm in colour, or 45 ppm in monochrome, and double-sided documents at 10.5 ipm in colour, or 20 ipm in monochrome with the bizhub 4422's high speed RADF (Recirculating Automatic Document Feeder), equipped as standard. Or if your needs are simpler, bizhub 3622 will scan one-sided documents at 20 ppm in colour or 45 ppm* in monochrome, with no double-sided scanning.



*DADF bizhub 4052/4752 only

PageScope Mobile

Print and scan directly to and from your smartphone or tablet when connected to your office Wi-Fi, and upload straight to the cloud from your device. Fast and secure, PageScope Mobile allows you to keep moving without the need to waste time transferring documents between devices.




Print from USB

Data stored on a USB memory device can be printed directly from the USB port on the front of the bizhub's control panel (bizhub 4422 only). Print from a range of document and image formats including DOCX, PPTX, PDF, JPEG, PNG and TIFF.




Paperless sharing

Scan and share documents in a range of formats including three different types of PDF, TIFF, JPEG and XPS. Share via email, store on an FTP server or share with client PCs.



Fax as standard

In addition to copying, printing and colour faxing, the bizhub 4422 and 3622 come with Super 3G fax as standard. All-round performance in a compact package.




Save energy with Eco Mode

Run your office more economically and stay friendly towards the environment with Eco Mode, reducing power usage, while also helping you save on toner and paper.

Two sides on one page

Consolidate multiple pages when copying and printing. Copy up to four pages onto a single page through your MFP and consolidate up to 16 pages onto one page when printing. Combine this function with double-sided printing to see a dramatic saving on paper.



SPECIFICATIONS

SYSTEM OVERVIEW

	bizhub 4752/4052	bizhub 4422/3622
System memory	2 GB (standard), 2 GB (optional), 4 GB (maximum)	1 GB (standard)
System hard disk	250 GB (standard)	500 GB (optional) ¹
Interface	10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 1.1, USB 2.0, Wi-Fi 802.11a/b/g/n/ac (optional)	4422: 10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0, Wi-Fi 802.11a/b/g/n/ac (optional) 3622: 10-BASE-T/100-BASE-TX Ethernet, USB 2.0, Wi-Fi 802.11a/b/g/n/ac (optional) ¹
Network protocols	TCP/IP (IPv4/IPv6), SLP, SMB, LPD, IPP, SNMP, HTTP	TCP/IP (IPv4/IPv6), IPP, SNMP, HTTP
Document Feeder	Up to 50 originals, A6-A4, Letter, Legal, Executive, custom sizes, 52-120 gsm	Up to 50 originals, A6-A4, Executive, Letter, Legal, custom sizes, 52-120 gsm
Printable paper size	76.2 x 127 to 216 x 356 mm	Max.: Legal/Letter or A4 (4422/3622), customised paper sizes
Printable paper weight	60-216 gsm	60-216 gsm
Paper input capacity	Standard: 650 sheets, Max.: 2,300 sheets	Standard: 350 sheets, Max.: 2,000 /900 sheets (4422/3622)
Tray 1	550 sheets, A6-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm	250 sheets, A6-A4, Executive, Letter, Legal, custom sizes, 60-120 gsm
Paper feed unit PF-P15 (optional)	250 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm	250 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm
Paper feed unit PF-P16 (optional)	550 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm	550 sheets, A5-A4, Letter, Legal, Executive, custom sizes, 60-120 gsm
Bypass tray	100 sheets, Postcards, A6-A4, Letter, Legal, Executive, custom sizes, 60-216 gsm	100 sheets, Postcards, A6-A4, Executive, Letter, Legal, custom sizes, 60-216 gsm
Automatic duplexing	A4, Letter, Legal, 60-90 gsm	A4, Letter, Legal, 60-90 gsm
Finishing modes (optional)	Group, sort, staple	
Power consumption	4752: 660 W, 4052: 600 W	4422: 630 W 3622: 550 W
System dimensions	[W x D x H] 490 x 521 x 546 mm (19.3 x 20.5 x 21.5 inch) ²	4422: [W x D x H] 489 x 429.5 x 477 mm (19.3 x 16.9 x 18.8 inch) ³ 3622: [W x D x H] 399 x 429.5 x 467 mm (15.7 x 16.9 x 18.4 inch) ³
System weight ⁴	Approx. 24 kg (52.9 lb)	4422: Approx. 20.6 kg (45.5 lb) 3622: Approx. 19.4 kg (42.8 lb)

COPIER SPECIFICATIONS

	bizhub 4752/4052	bizhub 4422/3622
Copying process	Semiconductor laser and electrostatic image transfer to plain paper	Semiconductor laser and electrostatic image transfer to plain paper
Copy/print speed A4/Letter	4752: Up to 47/50 ppm, 4052: Up to 40/42 ppm	4422: Up to 44/46 ppm, 3622: Up to 36/38 ppm
1st copy out time	8.5 sec or less	6.5 sec or less
Warm-up time	37 sec. or less	70-90 sec.
Copy resolution	600 x 600 dpi	600 x 600 dpi
Gradation	256 gradations	256 gradations
Multicopy	1-9,999	1-999
Original format	Max.: A4 or Legal	Max.: A4 or Legal
Magnification	25-400% in 0.1% steps, auto-zooming	25-400% in 0.1% steps, auto-zooming

PRINTER SPECIFICATIONS

	bizhub 4752/4052	bizhub 4422/3622
Print resolution	600 x 600 dpi, 1,200 x 1,200 dpi	300 x 300 dpi, 600 x 600 dpi, 1,200 x 1,200 dpi
Page Description Language	PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation XPS Ver. 1.0, PDF 1.7	PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation XPS Ver. 1.0
Operating systems	Windows 7 (32/64), Windows 8.1 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Macintosh OS X 10.8 or later, Linux	Windows 7 (32/64), Windows 8.1 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Macintosh OS X 10.6 or later, Linux, Network
Printer fonts	80 PCL, 137 PostScript 3 Emulation	89 PCL, 158 PostScript 3 Emulation, 39 PPDS Emulation
Mobile printing	AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile)	AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile)

SCANNER SPECIFICATIONS

	bizhub 4752/4052	bizhub 4422/3622
Scan speed⁵ with DF (1-sided original)	B/W: 47 ipm (A4), 50 ipm (Letter) Colour: 30 ipm (A4), 32 ipm (Letter)	B/W: 42/45 ipm (A4/Letter) *RADF bizhub 4422 only Colour: 20/22 ipm (A4/Letter) *RADF bizhub 4422 only
Scan speed⁵ with DF (2-sided original)	B/W: 94 ipm (A4), 100 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter)	B/W: 20 ipm (A4/Letter) Colour: 10.5 ipm (A4/Letter)
Resolution	Max.: 600 x 600 dpi	Max.: 600 x 600 dpi
Scan modes	Scan to Email, Scan to PC (SMB), Scan to FTP, Scan to WebDAV, Scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home, Scan to URL	Scan to Email, Scan to FTP, Scan to USB memory, Network TWAIN scan
File formats	JPEG, TIFF, PDF, PDF/A-1a ⁶ , PDF/A 1-b ⁶ , compact PDF, encrypted PDF, XPS, compact XPS, OOXML (pptx), Linearised PDF ⁶	JPEG, TIFF, PDF, XPS
Destinations	2,100 (single + group), LDAP, PSDA support	500

SPECIFICATIONS

FAX SPECIFICATIONS⁷

	bizhub 4752/4052	bizhub 4422/3622
Fax	Super G3	Super G3
Transmission	Analog fax, Internet fax, Colour Internet fax, IP address fax	Analog fax
Resolution	Max.: 600 x 600 dpi (ultra-fine)	Max.: 600 x 600 dpi (ultra-fine)
Compression method	MH, MR, MMR, JBIG	MH, MR, MMR, JBIG
Modem speed	Up to 33.6 Kbps	Up to 33.6 Kbps
Destinations	2,100 (single + group)	500

COMPONENTS AND OPTIONS

DK-P02 Copier desk	Provides storage space for print media and other materials Authentication device placement	Provides storage space for print media and other materials
FS-P02 Inline finisher	20-sheet stapling	
SK-501 Staple kit	For FS-P02, Replacement staples	
KP-101 10-Key pad	10-key	
FK-517 Fax board	Super G3 fax, fax functionality for 1st line	
UK-219 Upgrade kit	2 GB memory extension for upgrades	
LK-102 v3 PDF enhancements	PDF/A, PDF encryption, digital signature	
LK-104 v3 Voice guidance	Provides voice guidance functions	
LK-106 Barcode fonts	Supports native barcode printing	
LK-107 Unicode fonts	Supports native Unicode printing	
LK-108 OCR A and B fonts	Supports native OCR A and B font printing	
LK-111 ThinPrint[®] Client	Print data compression for reduced network impact	
LK-115 v2 TPM activation	Trusted Platform Module for protection of data encryption and decryption	
EK-P05 USB I/F kit	USB interface kit	
EK-P06 USB I/F kit	USB interface kit, Bluetooth LE	
AU-2015 IC card authentication	Various IC card technologies	
UK-216 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode	
UK-P12 256 MB user flash		256 MB memory extension for upgrades
UK-P13 Barcode card		Supports native barcode printing
NC-P05 Network interface card⁸		Wireless LAN and wireless LAN Access Point Mode
HD-P07 Hard disk⁹		Enable functions such as Scan Preview

¹ bizhub 4422 only ² Main unit and ADF ³ Including ADF and lower paper tray unit ⁴ Including consumables ⁵ When copying at 150 dpi ⁶ Optional ⁷ Fax optional on bizhub 4752/4052 ⁸ bizhub 4422 only ⁹ bizhub 4422 only
All specifications refer to A4-size paper of 75 gsm quality. The support and availability of the listed specifications and functionalities vary depending on operating systems, applications and network protocols as well as network and system configurations. Some of the product illustrations contain optional accessories. Specifications and accessories are based on the information available at the time of printing and are subject to change without notice. Konica Minolta does not warrant that any specifications mentioned will be error-free. All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

bizhub 4752/4052

bizhub 4422/3622



*1 Fax: Option for bizhub 4752/4052
*2 IC-Card Authentication:
Option for bizhub 4752/4052.
Not available for bizhub 4422/3622

Product appearance, configuration and/or specifications are subject to change without notice.

KONICA MINOLTA, the KONICA MINOLTA logo, symbol mark, Giving Shape to Ideas, bizhub, Konica Minolta Optimised Print Services and their respective logos are registered trademarks or trademarks of KONICA MINOLTA, INC. Evernote is a registered trademark or trademark of Evernote Corporation. Android and Google Drive are registered trademarks or trademarks of Google Inc. in the U.S. and other countries. Windows is registered trademarks or trademarks of Microsoft Corporation in the U.S. and other countries. All other brands and product names are registered trademarks or trademarks of their respective companies or organisations.



KONICA MINOLTA

Konica Minolta
Business Solutions Australia Pty Ltd

Free Call 1800 789 389
konicaminolta.com.au

Requirements for safe use

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.

