

OUTSTANDING SPEED. SEAMLESS INTEGRATION.



bizhub 4752/4052 4422/3622

bizhub A4 monochrome MFPs for any environment

From busy, compact locations to large scale offices, find the perfect fit for your space. Choose from a range of high-speed monochrome MFPs designed to keep up with your business.




SHOP SPACES



bizhub 4752

The high functionality of a full-scale MFP, combined with speed and excellent network affinity. Printing up to 47 ppm and capable of operating seamlessly as part of a larger bizhub network, bizhub 4752 is an excellent choice for customers who require not only speed, but great features and functions as well.





Notes

bizhub 4052

Complete with the same large 7-inch touch panel display and A4 paper size compatible colour scanner as bizhub 4752, bizhub 4052 offers 40 ppm high-speed and outstanding affinity with bizhub A3 MFPs.





*double-sided sca





bizhub 4422

High-speed, with low operating costs, this all-rounder is perfect for small- to mid-size offices. Capable of 44 ppm, Super 3G faxing and colour scanning, bizhub 4422 is built for speed and efficiency.





bizhub 3622

Compact size and solid performance make the bizhub 3622 ideal as a main machine for small offices. 36 ppm performance combined with colour scanning and Super 3G faxing as standard make this machine an excellent all-rounder.

Outstanding speed and seamless integration into existing MFP networks

High speed printing

No one wants to wait around for their work to finish printing. Outputting 47 ppm and 40 ppm respectively when printing or copying on A4 size paper, bizhub 4752 and 4052 are designed to boost your efficiency. Pick up your first page in under 8.5 seconds.


Compact design & no need for extra wires

Some spaces just aren't large enough for a full size MFP. With a footprint of only around $0.25~\text{m}^2$, these compact bizhub MFPs are small enough to keep on your desktop or in any convenient space while still offering a wide range of great features. They are also ideal as sub machines in a larger network of MFPs, and wireless capability makes it possible to install them wherever is convenient for you, without the need to install extra LAN wiring.



Two sides on one page

Copy the front and back of small documents onto one sheet of A4 paper. Ideal for copying licenses, business cards or other small documents without wasting paper.



Large capacity paper feed

Increase the standard 550-sheet paper capacity with optional paper feed units. A 100-sheet manual bypass tray or up to three additional 550- and/or 250-sheet paper feeding units can be installed to increase paper capacity while keeping the same compact footprint.



Complete control via the 7-inch touch panel

Konica Minolta's smart user interface, INFO-Palette, shines on the large 7-inch electrostatic touch panel. Easy to understand and even easier to use, the smartphone-like operability makes controlling your bizhub simple.





Get smart with mobile printing & scanning

Konica Minolta Mobile Print

Print and scan directly to and from your smartphone or tablet when connected to your office Wi-Fi. Then upload straight to the cloud from your device. Fast and secure, Konica Minolta Mobile Print even allows you to use your smartphone to touch in on the NFC tag on your MFP.*





Easily print from Mac OS and iOS devices without a printer driver.

Konica Minolta Print Service

Standard Android Print fur print directly to bizhub. Av Android OS only.





"Only available for Android devices equipped with an NFC antenna. For iPhone and iPad, download Konica Minolta Mobile Print from the App. Store. For Andoid devices, download Konica Minolta Mobile Print from Google Play. For Windows mobile, download Konica Minolta Mobile Print from Microsoft Store.



1

Mopria Print Service

Print from devices using an Android OS without a printer driver.



Print via the internet from iOS devices, Android devices and PCs without a printer driver.





Scan in colour

Easily scan documents with single-side scanning at 30 ipm in colour, and 47 ipm in black and white. What's more, thanks to the high-speed DADF (duplexing automatic document feeder) equipped as standard, the speed doesn't change when you need to scan double sided documents. Process up to 60 ipm in colour and 94 ipm in black and white.



User authentication


Optional authentication systems allow administrators to set restrictions on copying, printing, scanning and faxing, so you can create an authentication system that suits your office needs.

Expand your potential with i-Option

i-Option expands the potential of your bizhub. Easily install extensions, such as barcode fonts, Unicode fonts, OCR fonts and ThinPrint functionality.

Paperless sharing

Scan documents into a range of formats including three different types of PDF, TIFF, JPEG and pptx, and then share it in the way that suits you.



Print from USB

Data stored on a USB memory device can be printed directly from the USB port on the front of the bizhub's control panel. Print from a range of document and image formats including DOCX, PPTX, PDF, JPEG, PNG and TIFF.

Keep your documents secure

Security is crucial, no matter what size your business is. These bizhub models meet IEEE 2600.1 international protection profile standards. All security features have been independently evaluated and certified ISO 15408 EAL3 compliant, so you can print in confidence, knowing your documents are secure.

Small but powerful all round performance for smaller work environments

Cost-effective printing

Optimised for small offices, bizhub 4422 and 3622 deliver outstandingly low total cost of operation, giving you savings on both initial costs and running costs.

bizhub 4422

bizhub 3622





A small footprint to save space

With a footprint of just 0.21 m², these MFPs are small enough to keep on your desktop. What's more, optional Wi-Fi connectivity for bizhub 4422 allows for set up at any convenient location inside your office space with no need to install additional LAN cables.



Easy-to-read colour LCD display

The bizhub 4422 and 3622 feature colour LCD panels to display copy, print, scan and fax modes. The 4422's large 4.3 inch display lets you to see exactly what you are doing, allowing you to quickly review documents and select settings or print modes. The 3622 features a more compact, yet crystal clear 2.4 inch colour display, making browsing through setting easy.

Increasing paper capacity is simple

Add up to three 550- and/or 250-sheet paper feeding units to increase paper capacity while keeping the same compact footprint.



Scan in colour

 $2,000 \text{ sheets} (75 \text{ g/m}^2)$

Scan one-sided documents at 20 ppm in colour, or 45 ppm in monochrome, and double-sided documents at 10.5 ipm in colour, or 20 ipm in monochrome with the bizhub 4422's high speed RADF (Recirculating Automatic Document Feeder), equipped as standard. Or if your needs are simpler, bizhub 3622 will scan one-sided documents at 20 ppm in colour or 45 ppm* in monochrome, with no double-sided scanning.

 $550 \text{ sheets } (75 \text{ g/m}^2)$



*DADF bizhub 4052/4752 only

bizhub 4422/3622

PageScope Mobile

Print and scan directly to and from your smartphone or tablet when connected to your office Wi-Fi, and upload straight to the cloud from your device. Fast and secure, PageScope Mobile allows you to keep moving without the need to waste time transfering documents between devices.




Print from USB

Data stored on a USB memory device can be printed directly from the USB port on the front of the bizhub's control panel (bizhub 4422 only). Print from a range of document and image formats including DOCX, PPTX, PDF, IPEG, PNG and TIFF.



Paperless sharing

Scan and share documents in a range of formats including three different types of PDF, TIFF, JPEG and XPS. Share via email, store on an FTP server or share with client PCs.



Fax as standard

In addition to copying, printing and colour faxing, the bizhub 4422 and 3622 come with Super 3G fax as standard. All-round performance in a compact package.



Save energy with Eco Mode

Run your office more economically and stay friendly towards the environment with Eco Mode, reducing power usage, while also helping you save on toner and paper.

Two sides on one page

Consolidate multiple pages when copying and printing. Copy up to four pages onto a single page through your MFP and consolidate up to 16 pages onto one page when printing. Combine this function with double-sided printing to see a dramatic saving on paper.



SPECIFICATIONS

System hard disk	SYSTEM OVERVIEW	bizhub 4752/4052	bizhub 4422/3622
Interface	System memory		1 GB (standard)
10 20 20 20 20 20 20 20	System hard disk	250 GB (standard)	500 GB (optional)*1
Network protocols	Interface		4422: 10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0, Wi-Fi 802.11a/b/g/n/ac (optional)
Document Feeder Up to 50 originals, A6-A4, Letter Legal, Executive, custom sizes, 52-100 gam Printable paper size 76.2 x 127 to 216 x 336 mm Mas: Legal/Letter or A4 (442/3622), customised paper sizes Printable paper weight 60.216 gam Mas: Legal/Letter or A4 (442/3622), customised paper sizes Printable paper weight 60.216 gam Mas: Legal/Letter or A4 (442/3622), customised paper sizes Printable paper weight 60.216 gam Mas: Legal/Letter or A4 (442/3622), customised paper sizes Mas: 20.00 y 900 where (442/3622) Mas: 20.00 y 900 where (4			
Printable paper view	Network protocols		
Printable paper weight	Document Feeder	52-120 gsm	52-120 gsm
Paper Input capacity	Printable paper size	76.2 x 127 to 216 x 356 mm	Max.: Legal/Letter or A4 (4422/3622), customised paper sizes
Max. 2,000,900 sheets, 4427,6221			
Comparison of	Paper input capacity	Standard: 650 sheets, Max.: 2,300 sheets	Max.: 2,000 /900 sheets (4422/3622)
Court Sizes, 50-120 gm	Tray 1	custom sizes, 60-120 gsm	custom sizes, 60-120 gsm
Court Sizes, 50-120 gam		custom sizes, 60-120 gsm	custom sizes, 60-120 gsm
Counting Adj. Letter, Legal, 60-90 gsm Adj. Letter, Lega	Paper feed unit PF-P16 (optional)	custom sizes, 60-120 gsm	custom sizes, 60-120 gsm
Finishing modes (optional)	Bypass tray	custom sizes, 60-216 gsm	
Power consumption		A4, Letter, Legal, 60-90 gsm	A4, Letter, Legal, 60-90 gsm
System dimensions	Finishing modes (optional)		
COPIER SPECIFICATIONS	Power consumption System dimensions		4422: 630 W 3622: 550 W 4422: [W x D x H] 489 x 429.5 x 477 mm (19.3 x 16.9 x 18.8 inch) ³ 3622: [W x D x H] 399 x 429.5 x 467 mm (15.7 x 16.9 x 18.4 inch) ³
Semiconductor laser and electrostatic image transfer to plain paper	System weight *4	Approx. 24 kg (52.9 lb)	4422: Approx. 20.6 kg (45.5 lb) 3622: Approx. 19.4 kg (42.8 lb)
Second Add Application	COPIER SPECIFICATIONS		
18t copy out time	Copying process Copy/print speed A4/Letter		Semiconductor laser and electrostatic image transfer to plain paper 4422: Up to 44/46 ppm, 3622: Up to 36/38 ppm
Warm-up time			
Gradation 256 gradations 256 gradations 256 gradations 256 gradations 1-3999 1-	Warm-up time	37 sec. or less	70-90 sec.
Multicopy 1-9,999 1-999 Original format Max: A4 or Legal Mindows Server 2012 Mindows Ser	Copy resolution	600 x 600 dpi	600 x 600 dpi
Original format Max.: A4 or Legal Magnification 25-400% in 0.1% steps, auto-zooming 25-400% in 0.1% steps, auto-zooming 25-400% in 0.1% steps, auto-zooming PRINTER SPECIFICATIONS Print resolution 600 x 600 dpi, 1,200 x 1,200 dpi 300 x 300 dpi, 600 x 600 dpi 300 x	Gradation	256 gradations	256 gradations
PRINTER SPECIFICATIONS Print resolution 600 x 600 dpj. 1,200 x 1,200 dpj 300 x 300 dpj. 600 x 600 dpj. 1,200 x 1,200 dpj PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation XPS Ver.1.0, PDF1.7 PCL 5e/c Emulation XPS Ver.1.0, PCL 5e/c Emulation XPS Ver.1.0, PCL 5e/c Emulation XPS Ver.1.0, PCL 5e/c Emulation XPS Ver.1.0 PC			1-999
PRINTER SPECIFICATIONS Print resolution 600 x 600 dpi, 1,200 x 1,200 dpi 300 x 300 dpi, 600 x 600 dpi, 1,200 x 1,200 dpi 90 postScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation XPS Ver 1.0, PDF1.7 Operating systems Windows 7 (32/64), Windows 8.1 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 (32/64), Windows Server 2008 (32/64), Windows Server 2018, Windows Serve			
Print resolution 600 x 600 dpi, 1,200 x 1,200 dpi Page Description Language PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5 (XE Version 3.0) Emulation, P	Magnification	25-400% in 0.1% steps, auto-zooming	25-400% in 0.1% steps, auto-zooming
PostScript 3 (3016) Emulation, PCL 6 (XL Version 3.0) Emulation, PCL 5e/c Emulation, PCL 5e/c Emulation XPS Ver.1.0, PDE1.7 Operating systems Windows 7 (32/64), Windows 8.1 (32/64), Windows 8.1 (32/64), Windows 10 (32/64), Windows 10 (32/64), Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2012 (32/64), Windows Serv			
PCL 5e/c Emulation XPS Ver.1.0, PDF1.7 PCL 5e/c Emulation XPS Ver.1.0 Windows 7 (32/64), Windows 8.1 (32/64), Windows 8.1 (32/64), Windows 7 (32/64), Windows 8.1 (32/64), Windows Server 2008 (32/64), Windows Server 2018			
Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Win		PCL 5e/c Emulation XPS Ver.1.0, PDF1.7	PCL 5e/c Emulation XPS Ver.1.0
Printer fonts 80 PCL, 137 PostScript 3 Emulation AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile) SCANNER SPECIFICATIONS Scan speed** with DF (1-sided original) B/W: 47 ipm (A4), 50 ipm (Letter) Colour: 30 ipm (A4), 32 ipm (Letter) Colour: 30 ipm (A4), 32 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter) Scan modes Scan to Email, Scan to PC (SMB), Scan to FTP, Scan to WebDAV, Scan to FTP, Scan to USB memory, Network TWAIN scan to Scan Server, Scan to URL File formats 89 PCL, 158 PostScript 3 Emulation, 39 PPDS Emulation AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile) AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile) AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile) B/W: 42/45 ipm (A4/Letter) *RADF bizhub 4422 only Colour: 20/22 ipm (A4/Letter) *RADF bizhub 4422 only Colour: 20/22 ipm (A4/Letter) *RADF bizhub 4422 only Colour: 20/22 ipm (A4/Letter) *RADF bizhub 4422 only Minolta Mobile Print (iOS, Android), Konica Minolta	Operating systems	Windows 10 (32/64), Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2,	Windows Server 2008 (32/64), Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016,
AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica Minolta Mobile Print (iOS, Android, Windows 10 Mobile) SCANNER SPECIFICATIONS Scan speed** with DF (1-sided original) B/W: 47 ipm (A4), 50 ipm (Letter) Colour: 30 ipm (A4), 32 ipm (Letter) Colour: 30 ipm (A4), 100 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter) Colour: 60 ipm (A4), 65 ipm (Letter) Scan modes Scan to Email, Scan to PC (SMB), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home, Scan to URL File formats AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print (optional), Konica Minolta Mobile Print (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print (optional), Konica Minolta Mobile Print (iOS), Mopria (Android), Konica Minolta Print (optional), Konica Minolta Print (optional), Konica Minolta Print (optional), Konica Minolta Mobile Print (iOS), Mopria (Android), Konica Minolta Print (optional), Konica Minolta Mobile Print (iOS), Android, Minolta	Printer fonts		
Scan speed **S with DF (1-sided original) B/W: 47 ipm (A4), 50 ipm (Letter) Colour: 30 ipm (A4), 32 ipm (Letter) Scan speed **S with DF (2-sided original) B/W: 94 ipm (A4), 100 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter) Resolution Max.: 600 x 600 dpi Scan to Email, Scan to Email, Scan to FTP, Scan to WebDAV, Scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Home, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home, Scan to URL File formats B/W: 42/45 ipm (A4/Letter) *RADF bizhub 4422 only B/W: 20 ipm (A4/Letter) Colour: 10.5 ipm (A4/Letter) Max.: 600 x 600 dpi Scan to Email, Scan to FTP, Scan to USB memory, Network TWAIN scan, Scan to USB memory, Network TWAIN scan, Scan to Home, Scan to USB memory, Network TWAIN scan, Scan to USB memory, Network TWAIN scan, Scan to Home, Scan to USB memory, Network TWAIN scan, Scan to USB memory,	Mobile printing	AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica	AirPrint (iOS), Mopria (Android), Google Cloud Print (optional), Wi-Fi Direct (optional), Konica Minolta Print Service (Android), Konica
Scan speed **S with DF (1-sided original) B/W: 47 ipm (A4), 50 ipm (Letter) Colour: 30 ipm (A4), 32 ipm (Letter) Scan speed **S with DF (2-sided original) B/W: 94 ipm (A4), 100 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter) Resolution Max.: 600 x 600 dpi Scan to Email, Scan to Email, Scan to FTP, Scan to WebDAV, Scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Home, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home, Scan to URL File formats B/W: 42/45 ipm (A4/Letter) *RADF bizhub 4422 only B/W: 20 ipm (A4/Letter) Colour: 10.5 ipm (A4/Letter) Max.: 600 x 600 dpi Scan to Email, Scan to FTP, Scan to USB memory, Network TWAIN scan, Scan to USB memory, Network TWAIN scan, Scan to Home, Scan to USB memory, Network TWAIN scan, Scan to USB memory, Network TWAIN scan, Scan to Home, Scan to USB memory, Network TWAIN scan, Scan to USB memory,	SCANNER SPECIFICATIONS		
Colour: 30 ipm (A4), 32 ipm (Letter) Scan speed*s with DF (2-sided original) B/W: 94 ipm (A4), 100 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter) Resolution Max.: 600 x 600 dpi Scan to Email, Scan to PC (SMB), Scan to FTP, Scan to WebDAV, Scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to URL File formats Colour: 20/22 ipm (A4/Letter) *RADF bizhub 4422 only B/W: 20 ipm (A4/Letter) Colour: 10.5 ipm (A4/Letter) Max.: 600 x 600 dpi Scan to Email, Scan to FTP, Scan to USB memory, Network TWAIN scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home, Scan to URL File formats JPEG, TIFF, PDF, PDF/A-1a*5*, PDF/A 1-b*5*, compact PDF, encrypted PDF, XPS, compact XPS, OOXML (pptx), Linearised PDF*5		B/W: 47 ipm (A4), 50 ipm (Letter)	B/W: 42/45 ipm (A4/Letter) *RADF bizhub 4422 onlv
Scan speed's with DF (2-sided original) B/W: 94 ipm (A4), 100 ipm (Letter) Colour: 60 ipm (A4), 64 ipm (Letter) Resolution Max.: 600 x 600 dpi Scan to Email, Scan to PC (SMB), Scan to FTP, Scan to WebDAV, Scan to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to URL File formats B/W: 20 ipm (A4/Letter) Colour: 10.5 ipm (A4/Letter) Max.: 600 x 600 dpi Scan to Email, Scan to FTP, Scan to USB memory, Network TWAIN scan to PVBS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Home, Scan to URL File formats JPEG, TIFF, PDF, PDF/A-1a*5, PDF/A 1-b*6, compact PDF, encrypted PDF, XPS, compact XPS, OOXML (pptx), Linearised PDF*5	,		
Resolution Max.: 600 x 600 dpi Scan modes Scan to Email, Scan to PC (SMB), Scan to FTP, Scan to WebDAV, Scan to Email, Scan to Email, Scan to Email, Scan to PC (SMB), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Home, Scan to URL File formats JPEG, TIFF, PDF, PDF/A-1a*5, PDF/A 1-b*5, compact PDF, encrypted PDF, XPS, compact XPS, OOXML (pptx), Linearised PDF*5	Scan speed ^{*5} with DF (2-sided original)	B/W: 94 ipm (A4), 100 ipm (Letter)	B/W: 20 ipm (A4/Letter)
to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory, Network TWAIN scan, Scan to Me, Scan to Home, Scan to URL File formats JPEG, TIFF, PDF, PDF/A-1a*5, PDF/A 1-b*5, compact PDF, encrypted PDF, XPS, compact XPS, OOXML (pptx), Linearised PDF*5	Resolution	Max.: 600 x 600 dpi	
File formats JPEG, TIFF, PDF, PDF/A-1a ^{-ri} , PDF/A 1-b ^{-ri} , compact PDF, encrypted JPEG, TIFF, PDF, XPS PDF, XPS, compact XPS, OOXML (pptx), Linearised PDF ^{-ri}	Scan modes	to BOX (HDD), Scan to WSD (Web Service), Scan to DPWS (Device Profile for Web Service), Scan to Scan Server, Scan to USB memory,	Scan to Email, Scan to FTP, Scan to USB memory, Network TWAIN scar
	File formats	JPEG, TIFF, PDF, PDF/A-1a*6, PDF/A 1-b*6, compact PDF, encrypted	JPEG, TIFF, PDF, XPS
	Destinations		500

SPECIFICATIONS

bizhub 4422/3622

Fax	Super G3	Super G3
Transmission	Analog fax, Internet fax, Colour Internet fax,	Analog fax
	IP address fax	
Resolution	Max.: 600 x 600 dpi (ultra-fine)	Max.: 600 x 600 dpi (ultra-fine)
Compression method	MH, MR, MMR, JBIG	MH, MR, MMR, JBIG
Modem speed	Up to 33.6 Kbps	Up to 33.6 Kbps
Destinations	2,100 (single + group)	500
COMPONENTS AND OPTIONS		
DK-P02 Copier desk	Provides storage space for print media and other materials	Provides storage space for print media and other materials
	Authentication device placement	
FS-P02 Inline finisher	20-sheet stapling	
SK-501 Staple kit	For FS-P02, Replacement staples	
KP-101 10-Key pad	10-key	
FK-517 Fax board	Super G3 fax, fax functionality for 1st line	
UK-219 Upgrade kit	2 GB memory extension for upgrades	
LK-102 v3 PDF enhancements	PDF/A, PDF encryption, digital signature	
LK-104 v3 Voice guidance	Provides voice guidance functions	
LK-106 Barcode fonts	Supports native barcode printing	
LK-107 Unicode fonts	Supports native Unicode printing	
LK-108 OCR A and B fonts	Supports native OCR A and B font printing	
LK-111 ThinPrint® Client	Print data compression for reduced network impact	
LK-115 v2 TPM activation	Trusted Platform Module for protection of data encryption and	
	decryption	
EK-P05 USB I/F kit	USB interface kit	
EK-P06 USB I/F kit	USB interface kit, Bluetooth LE	
AU-201S IC card authentication	Various IC card technologies	
UK-216 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode	
UK-P12 256 MB user flash		256 MB memory extension for upgrades
UK-P13 Barcode card		Supports native barcode printing
NC-P05 Network interface card*8		Wireless LAN and wireless LAN Access Point Mode
HD-P07 Hard disk*9		Enable functions such as Scan Preview

[&]quot; bizhub 4422 only "2 Main unit and ADF "3 Including ADF and lower paper tray unit "4 Including consumables "5 When copying at 150 dpi "6 Optional "7 Fax optional on bizhub 4752/4052 "3 bizhub 4422 only "9 bizhub 4422 only All specifications refer to All-size paper of 75 gsm quality. The support and availability of the listed specifications and functionalities vary depending on operating systems, applications and network protocols as well as network and system configurations. Some of the product illustrations contain optional accessories. Specifications and accessories are based on the information available at the time of printing and are subject to change without notice. Konica Minolta does not warrant that any specifications mentioned will be error-free. All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

bizhub 4752/4052 bizhub 4422/3622





FAX SPECIFICATIONS*7









bizhub 4752/4052








48 5 8 6 5 mm









$Product\ appearance, configuration\ and/or\ specifications\ are\ subject\ to\ change\ without\ notice.$

KONICA MINOLTA, the KONICA MINOLTA logo, symbol mark, Giving Shape to Ideas, bizhub, Konica Minolta ir respective logos are registered trademarks or trademarks of KONICA ered trademark or trademark of Evernote Corporation. Android and Google r trademarks of Google Inc. in the U.S. and other countries. Windows is 📱 📱 💆 kapf Microsoft Corporation in the U.S. and other countries. All other brands $\textbf{pouct} \ \textbf{n} \textbf{ames} \ \textbf{are} \ \textbf{registered} \ \textbf{trademarks} \ \textbf{or} \ \textbf{trademarks} \ \textbf{of} \ \textbf{their} \ \textbf{respective} \ \textbf{companies} \ \textbf{or} \ \textbf{organisations}.$









Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au