

bizhub C3850 / C3350

Brilliant colour and touchscreen convenience





Exceptional colour output, advanced functionality, and connectivity.

For offices that demand more from their A4 printer, the bizhub C3850 and C3350 offer brilliant colour reproduction and a user-friendly touchscreen control panel. These energy-efficient devices are ideal for highly networked offices, and will integrate seamlessly into a wide range of workflow processes.

The bizhub C3850 and C3350 offer the capability to capture and share documents and data in a wide range of digital formats. Small in footprint, but huge in capabilities, these modern, high quality output devices enhance workplace efficiency and provide advanced functionality, all in the one unit.



Brilliant colour every time

In environments where documents need to impress, the bizhub C3850 and C3350 have you covered. These devices deliver consistently brilliant colour at up to 38 pages per minute – with high quality 1200 x 1200 dpi resolution so that your ideas come to life. The bizhub C3850 and C3350 add a new dimension to documents, reports and marketing materials with noticeable sharp and high quality colour output. Large capacity, consistent colour output is offered on the bizhub C3850 and C3350 with a maximum paper capacity of 1,650 sheets through the optional paper cabinets. With their combination of productivity, colour economy and vivid image reproduction, the bizhub C3850 and C3350 are perfectly suited for environments that demand consistently colourful documents and reports with an impact.

Greater connectivity and compatibility

With businesses looking for ways to work faster and smarter, the bizhub C3850 and C3350 are designed to be more compatible with workplace systems. As a result organisations can greatly improve efficiencies and reduce costs with these highly connected and flexible devices.

Printing from your smart phone or tablet device has never been easier through Konica Minolta's Application, PageScope Mobile. PageScope Mobile is compatible with the bizhub C3850 and C3350 and enables mobile work environments to print and scan documents with their mobile device.

With USB drive capability the bizhub C3850 and C3350 allow on-the-go printing directly off the USB device.

In addition to this, the bizhub C3850 and C3350 offer comprehensive file compatibility for greater workplace flexibility. Supported file formats include PDF/A, compact PDF, tiff, jpeg and xps. Converting hard copies to digital files can be performed to a range of end destinations such as HDD, email, PC (SMB) FTP/WebDav and USB. As a result a wide array of files can be easily shared to a wide range of end destinations for greater workplace integration and flexibility.

Designed with an OpenAPI structure, the bizhub C3850 and C3350 are compatible with most third-party applications and can be embedded on the device so that tailored applications and workflows are integrated with the device.

Compatibility is further enhanced with optional fax capability.

With a combination of advanced connectivity, compatibility and flexibility with print and document management solutions, the bizhub C3850 and C3350 are perfect for environments demanding greater workplace efficiency and cost management.

All in a compact user friendly device





Energy efficient and environmentally friendly

Konica Minolta's bizhub devices are designed with the environment in mind and seek to reduce the energy consumption and environmental resources used in existing print environments.

The bizhub C3850 and C3350 have low typical energy consumption (TEC) value scores and require lower energy usage that meets world class ENERGY STAR compliance standards. Minimal energy consumption is demonstrated in a low 2.1 Watts when set in the Sleep Mode.

The bizhub C3850 and C3350 also feature Konica Minolta's carbon neutral toners are made from biomass materials. These toners are designed to reduce the amount of toner required to produce high quality images, due to its uniform particle size. Additionally, compared to the conventional pulverised toners, manufacturing of Simitri HD toner requires less energy and temperature by up to 10 degrees.

Even our print drivers, compatible with the bizhub C3850 and C3350, contribute to a reduction in unnecessary waste through 'blank page removal' functionality.

With these devices, the organisations can feel confident in achieving their environmental targets, reducing carbon emissions and minimising the impact on our environment.

Intuitive operation for greater ease of use

The bizhub C3850 and C3350 are designed with you, the user, in mind. The concept for INFO-Palette is simply to give users full control of their work style through enhanced device compatibility, customisable user interfaces and user-friendly operations. Their large 7-inch electrostatic touchscreen control panel responds to 'flick and drag' operations. This immediate touch operation is comfortable and familiar to users, as it is similar to their personal smartphones and tablets. Navigation is further enhanced with horizontal scrolling, pop-up menus, unified design layout, visual recognition and tilt-able touch screen. Its universal design and advanced ease-of-use means your organisation can save time and process documents more quickly.

In addition, frequently used settings can be placed on the menu screen for fewer operational steps – all fully customisable to specific department or individual user requirements. This means common complex document processing requirements can be saved and stored for quick reference. Finally, an optional compact off-line 20 sheet stapler can be easily accessed on the working table for quick and fast access.

Designed with the user in mind, the bizhub C3850 and C3350 provide intuitive operations and features so that your business and all its users can process a wide range of documents with ease and convenience.

Technical specifications.

General Specifications	bizhub C3850	bizhub C3350
Туре		Scanner with Stationary Platen
Operational Panel	·	lectrostatic Touch-panel)
Print Speed (Letter, portrait)	Full Colour / B&W: 38 ppm	Full Colour / B&W: 33 ppm
Maximum Monthly Duty Cycle (pages)	20,000	
waxiiiuiii woliuliy buty oyole (pages)	20,	000
Сору		
Warm-up Time / First Copy Time	Less than 30 sec. / Less than 8.1 sec.	Less than 30 sec. / Less than 10 sec.
Copy Resolution / Copy Quantity	600 x 600 dpi (Full speed); 1200 x 1200 dpi (Maximum) / 1-999	
Copy Features	APS/AMS, Auto Duplex, Auto Tray Switching, Background Adjustment (9 steps), Colour Quality Adjustment (Contrast, Saturation, Brightness adjustments/Sharpness/Image density adjustment/ Colour Balance), Sor Group, ID Copy (Card Shot), Interrupt, Job Reserve, Proof Copy, Mixed Originals (Letter/Legal only), Multi-Job, Page Margin, Frame Erase, Media Selection (Thick 1/1+/2, Glossy 1/1+/2, Envelopes, Label, Postcards Letterhead), Program/Recall Jobs, Proof Copy, Quality (Text, Text/Photo, Photo), Separate Scan, Sort, Zoom, 2-in-1, 4-in-1, Electronic Counter	
Print – Emperon Print System		
Processor / Memory / Hard Disk Drive	MV78230 1.066GHz / 1GB RAM / 320GB HI	DD (shared print, copy, scan and fax memory)
Print Resolution / Grayscale Gradations		i / 256 shades
Interface	10 Base-T/100 Base-TX/1000 Base-T, Hi-speed USB 2.0, USB 2.0 Host Port	
Page Description Language / Printer Fonts	PostScript 3 (3016), PCL5e/c Emulation, PCL XL Emulation (2.1), XPS (1.0) / PCL: 80 Fonts, PostScript 3: 137 Fonts	
rage Description Language / Printer Points		
Operating System Compatibility	Windows: Windows XP (32/64), Windows Vista (32/64), Windows 7 (32/64), Windows Server 2003 (32/64), Windows Server 2003 (32/64), Windows Server 2003 (32/64), Windows Server 2003 (32/64), Windows Server 2008 R2, Windows Ser	
Network Protocols	TCP/IP, IPX/SPX (NDS Support), SMB, LPD, IPP1.1, SNMP, HTTP, WSD, AppleTalk	
Print Features	Auto Duplex, Booklet Printing, Direct Print (TIFF, XPS, PDF, 00XML: DOCX, XLSX, PPTX), Economy Printing, Image Overlay/Watermark Function, Job List, My Tab, N-Up Printing, Poster Mode, Print from USB, Proof Print, Secure Print	
Colour Scan		
Scan Speed	Colour / Di	.W: 35 opm
· · · · · · · · · · · · · · · · · · ·		· ·
Scan Resolution	200dpi x 200dpi, 300dpi, 400dpi, 400dpi x 400dpi, 600dpi x 600dpi	
Scan File Formats	TIFF, PDF, Compact PDF, JPEG, XPS, PDF/A, Encrypted PDF	
Scan Features	Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan-to-HD	D, Scan-to-USB, Scan-to-WebDAV, Network TWAIN Scan
Fax*		
FK-512 Fax Kit / MK-738 Fax Mount Kit	Includes Super G3 Fax, PC Fax, Internet Fax / Mounting Kit for FK-512	Includes Super G3 Fax, PC Fax, Internet Fax / Mounting Kit for FK-512
Fax Line / Mode		-
ax Line / Wode	PSTN (Public Switch Telephone Network), PBX (Private Branch Exchange), Super G3 (Fax line)	
Tay Transmission Coood		
Fax Transmission Speed		.34, 33.6kbps, JBIG)
Fax Transmission Speed Fax Features	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Request mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full S rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, T
Fax Features	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Request mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full S
Fax Features	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report,
Fax Features **Optional	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report,
Fax Features **Optional Paper Input	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report,
Fax Features *Optional Paper Input Reversing Auto Document Feeder	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vice Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full S rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Settling, Activity Report, ious Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vice Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full S rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ious Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention
·	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vice Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:00-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full S rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, lous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm 148-356mm, Paper Weight: Single-sided: 60-210 gsm
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vice Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full S rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ious Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2)
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 50 sheets, Pa Copy Desk - S	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full Srious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 50 sheets, Pa Copy Desk - S	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full S rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Settling, Activity Report, lous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2)
*Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.)	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 50 sheets, Pa Copy Desk - S	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full trious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.)	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result RD, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: Copy Desk: 5	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full trious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way)
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.)	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result RD, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: Copy Desk: 5	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full trious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer
*Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result RD, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: Copy Desk: 5	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full trious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way)
Fax Features **Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa Copy Desk: 5 650 sheets (2-way) / 1,650 st	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full srious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ious Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way)
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa Copy Desk: 5 650 sheets (2-way) / 1,650 st	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm a8-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way)
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa Copy Desk: 5 650 sheets (2-way) / 1,650 st	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm a8-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way)
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W.100-216mm, L: Capacity: 50 sheets, Paper Size: W.100-216mm, L: Capacity: 100 sheets, Paper Size: W.92-216mm, L: Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L: Original Type Feed Cassette Capacity: 500 sheets, Paper Size: W.	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm 48-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features Security	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, Memory Rx, My:92-216mm, L:1) Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, Memory Rx, My:92-216mm, L:1) Original Type (Tx, My:92-104m, My:92-104m) Original Type (Tx, My:92-104m, My:92-104m) Original Type (Tx, My:92-104m, My:92-104m) Original Type (Tx, My:92-104m) Print, Tel/Fax Auto Switch, Audio Response, Autor (Tx, My:92-104m) Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, My:92-104m) Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, My:92-104m) Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, My:92-104m) Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, My:92-104m) Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, My:92-104m) Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, My:92-104m) Original Type (Tx, My:92-104m	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-Bassem, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer peets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling upport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H ppy Protection (print only)
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features Security Accounting	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Broadcast Result RX Report, Broadcast Result RX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, Tx, Tx, Tx, Tx, Tx, Tx, Tx, Tx, Tx,	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full trious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-S6mm, Paper Weight: Single-sided: 60-210 gsm ber Size: A4, Paper Weight: Single-sided: 60-210 gsm cer Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling upport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H pyp Protection (print only) s, Active Directory support
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features Security Accounting	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassett	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm Der Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Dets (Total w/ options, 4-way) 250-sheet Capacity Sheet Corner Stapling Apport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H ppy Protection (print only) S, Active Directory support Sistrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager)
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features Security Accounting Software	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Broadcast Result RX Report, Broadcast Result RX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Capacity: 50 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Original Type (Tx, Tx, Tx, Tx, Tx, Tx, Tx, Tx, Tx, Tx,	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm Der Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Dets (Total w/ options, 4-way) 250-sheet Capacity Sheet Corner Stapling Apport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H ppy Protection (print only) S, Active Directory support Sistrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager)
Fax Features **Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features Security Accounting Software Optional Software	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassett	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm Der Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Dets (Total w/ options, 4-way) 250-sheet Capacity Sheet Corner Stapling Apport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H ppy Protection (print only) S, Active Directory support Sistrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager)
Coptional Paper Input Reversing Auto Document Feeder Fray 1 Sypass Tray PF-P13 KK-P03 Paper Capacity (Std./Max.) Paper Cutput Standard Output Finishing FS-P03 System Features Security Accounting Software Optional Software	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassett	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full rious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm ber Size: A4, Paper Weight: Single-sided: 60-210 gsm ber Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling upport, IEEE 8021x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), Hopy Protection (print only) s, Active Directory support istrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) ion Manager, My Print Manager
Fax Features **Paper Input ** Reversing Auto Document Feeder ** Tray 1 **Bypass Tray ** PF-P13 DK-P03 **Paper Capacity (Std./Max.) **Paper Output ** Standard Ou	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: Wester, Paper Size: Capacity: 50 sheets, Paper Size: Wester, Paper Size: Wester, Paper Size: Wester, Paper Size: Wester, Paper Feed Cassette Capacity: 500 sheets, Paper Feed Cassette Capacity: 500	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling upport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H pyp Protection (print only) s, Active Directory support istrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) ion Manager, My Print Manager
Fax Features **Paper Input Reversing Auto Document Feeder Tray 1 **Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Standard Output Finishing FS-P03 System Features Security Accounting Software Diptional Software Apps Authentication Devices Aut-201H	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W.100-216mm, L: Capacity: 50 sheets, Paper Size: W.100-216mm, L: Capacity: 100 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Original Type Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W.92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Si	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling pport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H ppy Protection (print only) s, Active Directory support istrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) ion Manager, My Print Manager pe Mobile
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Cutput Standard Output Standard Output Finishing FS-P03 System Features Security Accounting Software Optional Software Optional Software Apps Authentication Devices Aut-201H MK-P02	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa Copy Desk - S 650 sheets (2-way) / 1,650 sl Inner Output Tray: Off-Line Stapler: 20- Up to 1,000 User Account PageScope (Net Care Device Manager, Enterprise Suite Plug-in, Direct Print, Unix Filter, Data Admir Account Manager, Authenticat PageSco	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm Der Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Der Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Desta (Total w/ options, 4-way) 250-sheet Capacity Sheet Corner Stapling Der Size: A4, Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) Der Size: A4, Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) Der Manager, My Print Manager Der Mobile
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Cutput Standard Output Standard Output Finishing FS-P03 System Features Security Accounting Software Optional Software Optional Software Apps Authentication Devices Aut-201H MK-P02	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa Copy Desk - S 650 sheets (2-way) / 1,650 sl Inner Output Tray: Off-Line Stapler: 20- Up to 1,000 User Account PageScope (Net Care Device Manager, Enterprise Suite Plug-in, Direct Print, Unix Filter, Data Admir Account Manager, Authenticat PageSco	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full trious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling upport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), Hapy Protection (print only) s, Active Directory support istrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) ion Manager, My Print Manager pe Mobile
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std:/Max.) Paper Coutput Standard Output Finishing FS-P03 System Features Security Accounting Software Optional Software Apps Authentication Devices AU-201H MK-P02	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 50 sheets, Paper Size: W:100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa Copy Desk - S 650 sheets (2-way) / 1,650 sl Inner Output Tray: Off-Line Stapler: 20- Up to 1,000 User Account PageScope (Net Care Device Manager, Enterprise Suite Plug-in, Direct Print, Unix Filter, Data Admir Account Manager, Authenticat PageSco	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full trious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm ber Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling upport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), H pyp Protection (print only) s, Active Directory support istrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) ion Manager, My Print Manager pe Mobile
Fax Features **Optional **Paper Input **Reversing Auto Document Feeder **Irray 1 **Bypass Tray **PF-P13 **DK-P03 **Paper Capacity (Std./Max.) **Paper Capacity (Std./Max.) **Paper Output **Standard Output **Accounting **Software **Dptional Software **Dptional Software **Apps **Authentication Devices **Authentication Devices **Authentication Devices **Additional Options **Additional Options	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, EOM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answing Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W100-216mm, L: Capacity: 50 sheets, Paper Size: W100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm Bass6mm, Paper Weight: Single-sided: 60-210 gsm Ber Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Beets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling Bass6 Corner Stapl
Fax Features **Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Standard Output Standard Features Security Accounting Software Optional Software Apps Authentication Devices Authentication Devices Additional Options	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, EOM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answing Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W100-216mm, L: Capacity: 50 sheets, Paper Size: W100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm Der Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Der Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Desta (Total w/ options, 4-way) 250-sheet Capacity Sheet Corner Stapling Der Size: A4, Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) Der Size: A4, Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) Der Manager, My Print Manager Der Mobile
Fax Features "Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features Security Accounting Software Optional Software Apps Authentication Devices Au-201H MK-P02 WT-P02 Additional Options I-Option	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, EOM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answing Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W100-216mm, L: Capacity: 50 sheets, Paper Size: W100-216mm, L: Capacity: 100 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Pa	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full strious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm Bass6mm, Paper Weight: Single-sided: 60-210 gsm Ber Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer Beets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling Bass6 Corner Stapl
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray PF-P13 DK-P03 Paper Capacity (Std./Max.) Paper Output Standard Output Finishing FS-P03 System Features Security Accounting Software Optional Software Apps Authentication Devices Aut-201H MK-P02 WT-P02 Additional Options I-Option Power & Dimensions	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassett	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Reques mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full Srious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, ous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: 50-128 gsm A8-S6mm, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer neets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling apport, IEEE 802.1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), Happy Protection (print only) s, Active Directory support istrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) ion Manager, My Print Manager pe Mobile rd Authentication Class Card Reader 1 Authentication Devices
Fax Features *Optional Paper Input Reversing Auto Document Feeder Tray 1 Bypass Tray	Program, Select from Address Book, Group Dial Program, Auto Redial, Original Type (Text, Text/Photo, Ph Polling RX, TX Original Size Setting, Mixed Original TX, ECM Off, V34 Off TX, Password TX, Memory RX, Me Print, Tel/Fax Auto Switch, Audio Response, Answering Machine Connection, Number Display, Dial-in, Vica Result Report, Broadcast Result TX Report, Broadcast Result RX Report, Var Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Capacity: 50 sheets, Paper Size: W:100-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassette Capacity: 500 sheets, Paper Size: W:92-216mm, L:1 Paper Feed Cassett	oto), Density, Memory TX, Busy / Error Redial, Broadcast TX, Timer TX, Confidential TX, Relay TX Request mory Vicarious Execution RX, Password RX, Call Rejection, Confidential Print, Auto Reduction Print, Full Srious Execution Forward, Remote RX, Nighttime Receiving User Box Destination Setting, Activity Report, Tous Lists, Long Paper Original TX/RX, PC-Fax TX/RX, Mistake TX Prevention A5-A4, Paper Weight: 50-128 gsm A5-A4, Paper Weight: Single-sided: 60-210 gsm A8-356mm, Paper Weight: Single-sided: 60-210 gsm ber Size: A4, Paper Weight: Single-sided: 60-210 gsm per Size: A4, Paper Weight: 60-90 gsm (Max: 2) Storage Drawer beets (Total w/ options, 4-way) 250-sheet Capacity sheet Corner Stapling apport, IEEE 802:1x support, User Authentication, Secure Print, Hard Disk Overwrite (8 standard types), Happy Protection (print only) s, Active Directory support istrator), Web Connection, Others (Print Status Notifier, Driver Packaging Utility, Download Manager) ion Manager, My Print Manager pe Mobile rd Authentication Class Card Reader † Authentication Devices K-108 (OCR A&B fonts), LK-111 (ThinPrint® client)



Konica Minolta Business Solutions Australia Pty Ltd Free call 1800 789 389 konicaminolta.com.au







