



KONICA MINOLTA

Giving Shape to Ideas

PROFESSIONAL PRINT FLEXIBILITY WITH HIGHER EFFICIENCY



AccurioPrint
C3070L

Colour Print System

Accelerated Flexibility

AccurioPrint C3070L

Professional colour print system

AccurioPrint C3070L combines all the desired print capabilities in one professional digital system, that can expanded the range print offerings with higher productivity and versatility to deliver greater efficiencies to your professional print requirement.

The ability to manage print jobs directly from the intuitive system touch operator panel gives a improved level of user functionality, whilst fully utilising powerful document work flow solutions with full integration.

Print resolution equivalent to 3,600 dpi, our exclusive Simitri® HDE toner for offset-quality colour at an affordable cost, superior stability and consistency on a large range of media — and the versatility of in-line finishing to meet the highest professional requirements.

Advanced Performance

- Up to 71 A4 pages per minute
- Up to 31 SRA3 pages per minute
- Up to 3,823 A4 pages per hour
- Up to 1,951 SRA3 pages per hour
- Enhanced overall performance for scanning and copying
- Enhanced work efficiency helps handle short turnaround jobs

Ready-Made Print Products

- 20-sheet booklet making
- 50-sheet stapling
- For highest automation with higher productivity
- For more profit in the print room

Highest Reliability

- Long-life robust print system
- Long-lasting parts and consumables
- Registration-swing mechanism for accurate duplex registration
- Intelligent fusing technology
- For lucrative high quality printing



Professional Finishing

- Letter fold-in
- Stacking of up to 3,000 sheets
- Optional 2/4 hole punching
- Optional Post Inserting



High Performance Scanning

- The dual scanner scans both sides of document in one path
- Double sheet detector
- Max. 240 ipm
- Load capacity of 300 originals (Max)

High-End Print Control

- Flexible choice of controller technology: Efi® / Integrated Konica Minolta controller
- For intuitive operation
- To save time and money

Ease Of Use

- Automatic density balance adjustment
- Open API/IWS support
- Scan & print to USB
- Simple paper catalogue settings

Sophisticated Media Handling

- Enhanced Banner (Long sheet) printing
- Auto-duplex 762mm long banner sheets
- Banner simplex up to 1,300 x 330 mm
- Superior envelope printing with EF-103

Comprehensive Media Processing

- Simplex & duplex printing on paper weights up to 350 gsm
- Selected Synthetic media supported
- Supports a wide range of embossed / textured media

Environmentally Sound

- Robust and powerful despite the compact, lightweight body
- Reduced power consumption with Simitri® HD E toner
- Industry-leading usage ratio of recycled PC and PET
- For reduced environmental impact
- Improved efficiency

Superior Colour Print Quality

- S.E.A.D. IV technology and 1,200 x 1,200 dpi x 8 bit resolution (equivalent to 1,200 x 3,600 dpi)
- Simitri® HD E toner technology
- High quality colour consistency

AccurioPrint C3070L

SPECIFICATIONS



SYSTEM SPECIFICATIONS

Resolution	1,200 x 1,200 dpi x 8 bit 1,200 x 3,600 dpi equivalent
Paper Weight	62-350 gsm
Duplex Unit	Non-stack type: 62-350 gsm
Paper Sizes	330 x 487 mm; 330 x 1,300 mm (optional banner options required)
Maximum Image Area	323 x 480 mm
Paper Input Capacity	Standard: 1,500 sheets Max: 4,250 sheets
Paper Output Capacity	Max: 3,100 sheets
Main Unit Dimensions (W x D x H)	800 x 903 x 1,076 mm
Main Unit Weight	316 kg

PRODUCTIVITY

A4 - max. per minute	71 ppm
A3 - max. per minute	39 ppm
SRA3 - max. per minute	36 ppm
A4 - max. per hour	3,823 pph
A3 - max. per hour	2,113 pph
SRA3 - max. per hour	1,951 pph

CONTROLLER

Integrated Konica Minolta Controller	IC-605
EFI Fiery Controller	IC-417

SCANNER SPECIFICATIONS

Scan Speed A4	Up to 240 ipm
Scan Modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-eMail
Scan Formats	TIFF (single and multi page); PDF
Scan Resolution	600 x 600 dpi

COPIER SPECIFICATIONS

Gradations	256 gradations
FCOT	Less than 7.6 seconds
Magnification	25 - 400%, in 0.1% steps
Multiple Copies	1 - 9,999

ACCESSORIES

Automatic Document Feeder	DF-706
Working Table	WT-511
Heating Unit for Main Body Trays	HT-511
Heating Unit for LU-202m/XL	HT-503
Bypass Tray	MB-506
Booklet Finisher	FS-612
2/4-Hole Punch Kit for FS-612	PK-512
2-Hole Punch Kit for FS-612	PK-513
Post Inserter for FS-612	PI-502
Envelope Fuser	EF-103
Banner Tray	MK-740
Banner tray (High Capacity)	MK-740m
Large Capacity Unit	LU-202m
Large Capacity Unit	LU-202XLm (banner feed up to 762mm)
Output Tray	OT-511
High Capacity Output Tray	OT-510
Envelope Feeding Kit	MK-746



KONICA MINOLTA

Konica Minolta
Business Solutions Australia Pty Ltd

Free Call 1800 789 389
konicaminolta.com.au



Demonstration

Want to learn more?
Book a demonstration today with an expert



Software

Want to innovate?
Automate your workflow



Success Stories

Want to succeed?
Find out how our customers succeed



For more information, visit konicaminolta.com.au/midrange

Product appearance, configuration and/or specifications are subject to change without notice.

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simitri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Microsoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.



Ecology & Environment

KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind.

- Energy Star
- RoHS Compliance
- WEEE Compliance
- Eco-conscious Toners
- Production at ISO Certified Factories



Requirements for safe use.

- Please read and follow the instruction manual to ensure safe operation.
- Only operate using appropriate power supply and voltage.
- Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).