Giving Shape to Ideas



bizhub 558/458/368/308

٠

bizhub sas

Connect on the move for non-stop productivity



37

2

3.1


A great balance of productivity features

Hard copy digitisation

Scanned hardcopies can be saved as searchable PDFs^{*1} or editable files in the PowerPoint, Excel or Word format^{*2}. The files are small with excellent image quality and can be saved in the internal HDD or mobile devices.

*1 Optional i-Option LK-102 v3 or LK-110 v2 is required.

*2 Editable Excel/Word formats require optional i-Option LK-110 v2.



*Optional

PCs, servers, mobile devices, USB memory devices, etc.

Intuitive control with InfoPalette touch panel



An intuitive 9" touch screen features 'flick and drag' and 'pinch and zoom' operation similar to that of popular mobile tablet devices.

The familiar fingertip controls, horizontal scrolling and pop-up menus enable simpler navigation. It's all there on a single intuitive screen, and most people will be able to use it with minimal instruction. This interface is also highly customisable to your requirements.



Automatic backups for peace of mind*

The risk of losing your precious corporate data can be minimised, with this optional feature. You can specify these bizhub MFPs with a virtually failure-proof data protection system, based on two separate hard drives. The data on one hard drive is 'mirrored' on a second drive - so your data is retained automatically in the event of a failure. It's worth considering, to put your mind at rest.

*Second HDD is optional and is required in order to achieve automatic backup.

Optional advanced finisher with



Finisher [FS-537SD]



Wireless mobile a 🐻 히 🍈

Today's workplace is rapidly evolving, with mount technology providing employees with greater flexibility. In many cases, staff can now work from home or other locations outside the office. This can deliver many business benefits, including improved overall efficiency and employee time management.

With these state-of-the-art MFPs, your staff or customers can use their mobile phones and tablets for effortless printing - anytime, anywhere. People can take advantage of full wireless connectivity, using popular mobile platforms such as iOS and Android. This approach also ensures high levels of security, thanks to robust user authentication procedures.



FS-533 / FS-536 / FS-537 Finishing tasks and necessary options

		FS-533	FS-536	FS-537
Stapling Function	Corner staple 2-point staple (side)	Inner Finisher FS-533 Up to 50 sheets	Finisher FS-536 Up to 50 sheets	Finisher FS-537 Up to 100 sheets
Booklet Function & Folding Function	Centre staple and folding		Finisher FS-536/ SD + Saddle Stitcher Up to 20 sheets	Finisher 5S-537/ SD + Saddle Stitcher Up to 20 sheets
Z-Folding Function & Hole Punching Function	Z-Fold Hole Punching Z-Fold + Hole Punching			Finisher FS-537/ SD + Z-Folding Unit ZU-609 + Punch Kit PK-523 (52 to 90gsm)
Hole Punching Function	2-hole top 4-hole top 4-hole	Inner Finisher FS-533 + Punch Kit PK-519 Punch paper up to 157 gsm	Finisher FS-536/ SD + Punch Kit PK-520 Punch paper up to 300 gsm	Finisher FS-537/ SD + Punch Kit PK-523 Punch paper up to 300 gsm
Cover Sheets & Inter Sheets	Cover sheets	Standard	Standard	Standard or Finisher FS-537/ SD + Post Inserter PI-507



FS-533



FS-536



FS-537 (Only suits C458 & C558)

Specifications

System Overview

System Overview	
System memory	4 GB
System hard disk	250 GB Standard
Interface	10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0
Network protocols	TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP, HTTPS
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP
Dual scan	Up to 100 originals (80gsm, A4)
document feeder	35-163gsm (simplex)
	50-163gsm (duplex)
	(50–128g/m² (mix mode)
Printable paper size	Scanning/Copying: up to A3
	Printing: up to A3 and full bleed on SRA3 paper
	Custom paper sizes:
	Banner paper max: 297 x 1,200mm
Printable paper weight	52-300gsm
Paper input capacity	Standard: 1,150 sheets/Max: 6,650 sheets
Tray 1	500 sheets/A5-A3/52-256gsm
Tray 2	500 sheets/A5-SRA3/52-256gsm
Tray 3 (option 1)	2 x 500 sheets/A5-A3/52-256gsm
Tray 3 (option 2)	2,500 sheets/A4/52-256gsm
Large capacity tray	2,500 sheets/A4/52-256gsm
LU-207 (optional)	_,
Large capacity tray	3,000 sheets/A4/52-256gsm
LU-302 (optional)	-,
Manual bypass	150 sheets/A6-SRA3/custom paper sizes/50-300gsm
Automatic duplexing	A5-SRA3/52-256gsm
Finishing modes	Offset, group, sort, staple, punch, half-fold, z-fold, tri-fold,
5	post-insertion, booklet
Output capacity	Max with finisher: 3,300 sheets
	Max without finisher: 250 sheets
Stapling (optional)	Max: Up to 100 sheets or 94 sheets + 2 cover sheet (up to 209gsm)
Stapling output	Max: 1,000 sheets
	Max: 1,000 sheets
Stapling output	Max: 1,000 sheets Up to 3 sheets
Stapling output capacity	· · ·
Stapling output capacity Tri-fold (optional)	Up to 3 sheets Max: 30 sheets (tray)
Stapling output capacity Tri-fold (optional) Tri-fold capacity	Up to 3 sheets
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 150,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 150,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specification	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 150,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specification Copying process	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DINS Electrostatic laser copy, tandem, indirect
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921 mm 308/368: 615 x 725 x 779 mm 458/558: 93kg 308/368: 76.5kg DINS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specification Copying process	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DIS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DNS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DIS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 36 ppm (BW) 458: up to 36 ppm (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system Print speed (A4)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DINS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 458: up to 45 ppm (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921 mm 308/368: 615 x 725 x 779 mm 458/558: 93kg 308/368: 76.5kg DINS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 368: up to 45 ppm (BW) 558: up to 55 ppm (BW) 558: 3.5sec (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system Print speed (A4)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DIS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 368: up to 36 ppm (BW) 558: 3.5sec (BW) 458: 4.0sec (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatie Copying process Toner system Print speed (A4)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921 mm 308/368: 615 x 725 x 779 mm 458/558: 93kg 308/368: 76.5kg DINS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 368: up to 45 ppm (BW) 558: up to 55 ppm (BW) 558: 3.5sec (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatie Copying process Toner system Print speed (A4)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DNS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 458: up to 45 ppm (BW) 458: 3.5sec (BW) 458: 4.0sec (BW) 368: 5.0sec (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system Print speed (A4)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DNS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 458: 3.5sec (BW) 458: 4.0sec (BW) 308: 5.4sec (BW) 308: 5.4sec (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system Print speed (A4)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DIS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 368: up to 36 ppm (BW) 558: 3.5sec (BW) 458: 4.0sec (BW) 308: 5.0sec (BW) 308: 5.4sec (BW)
Stapling output capacity Tri-fold (optional) Tri-fold capacity Booklet (optional) Booklet output capacity Toner lifetime Imaging unit lifetime Power consumption System dimensions System weight Copier Specificatio Copying process Toner system Print speed (A4)	Up to 3 sheets Max: 30 sheets (tray) Max: 20 sheets or 19 sheets + 1 cover sheet (up to 209gsm) Max: 100 sheets (tray) Black: 24,000 (308/368) 24,400 (458/558) Black: 150,000 pages/600,000 pages (Drum/Developer) (308/368) Black: 160,000 pages/600,000 pages (Drum/Developer) (458/558) 240 V/60Hz, less than 0.5kW (system) 458/558: 615 x 755 x 921mm 308/368: 615 x 725 x 779mm 458/558: 93kg 308/368: 76.5kg DINS Electrostatic laser copy, tandem, indirect Simitri® HD Polymerized Toner 308: up to 30 ppm (BW) 368: up to 36 ppm (BW) 368: up to 35 ppm (BW) 558: 3.5sec (BW) 458: 4.0sec (BW) 308: 5.4sec (BW) 308: 54sec (BW) 458: 22sec (BW)

Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi
PDL	PCL6 (XL 3.0), PCL5e/c, PostScript 3 (ver. 3016), XPS
Operating systems	Windows (x32/x64): XP/Vista /7/ 8 Windows Server (x32/x64): 2003/2008/2008 R2 ³ /2012 ³ Macintosh OS X 10.6 or later
Printer fonts	Linux/Citrix 80 PCL Latin, 137 PostScript 3
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print
Scanner Specificat	tions
Scan speed	B&W: up to 160ipm
Scan resolution	Max: 600 x 600dpi
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)
Scan destinations	2,100 (shared with fax), LDAP support
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, realtime scan preview
Fax Specifications	
Fax	Super G3 (optional)
Transmission	Analog, Internet fax, Color i-Fax, IP-Fax
	Mana 000 - 000 dati (data fizza)
Resolution	Max: 600 x 600dpi (ultra-fine)
Resolution Compression	MAX: 600 X 600api (uitra-fine) MH, MR, MMR, JBIG

Transmission	Analog, Internet fax, Color i-Fax, IP-Fax	
Resolution	esolution Max: 600 x 600dpi (ultra-fine)	
Compression	MH, MR, MMR, JBIG	
Modem	Up to 33.6 Kbps	
Destinations	2,100 (single + group)	
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to email/FTP/SMB, up to 400 job programs	

User Box Specifications

Storable documents	Max: 3,000 documents or 10,000 pages	
Type of user boxes	Public	
	Personal (with password or authentication)	
	Group (with authentication)	
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling,	
	annotation	
User box functionality	Reprint, combination, download, sending (email/FTP/SMB	
-	and fax), copy box-to-box	

Print speed (A4)	308: up to 30 ppm (BW)
	368: up to 36 ppm (BW)
	458: up to 45 ppm (BW)
	558: up to 55 ppm (BW)
1st copy out time	558: 3.5sec (BW)
	458: 4.0sec (BW)
	368: 5.0sec (BW)
	308: 5.4sec (BW)
Warm-up time	558: 22sec (BW)
	458: 25sec (BW
	308/368: 20sec (BW)
Copy resolution	600 x 600dpi
Gradations	256 gradations
Multi-copy	1-9,999
Original format	Up to A3
Magnification	25-400% in 0.1% steps, auto zooming
Copy functions	Electronic sorting, multi-job, adjustments (contrast, sharpness, image density), proof copy, interrupt mode, colour mode, separate scan, sort/group, combination,

original selection, ID card copy, 2-in-1, 4-in-1

Product appearance, configuration and/or

Product appearance, contiguration and/or specifications are subject to change without notice. The Konica Minota logo and the symbol mark, are registered trademarks or trademarks of Konica Minotla Holdings, Inc. bizhub, PageScope, Simitri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Windows is registered trademark of Misorcont Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or Idademarks of Adobe Systems Incorporated. All other brand and product names are registered trademarks or trademarks of their respective owners.

Printed on a Konica Minolta bizhub PRESS C1070/C1060



KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind. Energy Star
 RoHS Compliance
 WEEE Compliance
 Factories
 Solution at ISO Certified
 Factories

A Requirements for safe use.

• Please read and follow the instruction manual to ensure safe operation.

Ecology & Environment

Prease read and tolow the instruction manual to ensure safe operation
Only operate using appropriate power supply and voltage.
Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).



Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au

bizhub