



AccurioPRESS C2070/C2060

Performance and versatility



AccurioPRESS the new standard for Digital Colour Printing.



As a graphics professional, your client looks to you to get their vision to market.

Konica Minolta's AccurioPress C2070 C2060 series helps you do that and more, setting new standards for superior performance and unsurpassed value. We've built this series with one goal in mind: increase your output while reducing your costs. And we've done this by combining digital colour quality that rivals offset prints with advanced workflow and colour management tools that fine-tune accuracy while keeping costs down.

At a glance

- Speeds up to 71 ppm
- Duplex printing on media weights up to 350 gsm
- Media sizes up to 330 X 487mm
- Banner printing up to 750 mm
- Colour consistency
- Choice of print controllers including Konica Minolta, Fiery and Creo
- Powerful finishing
- Single-pass duplex scanning at 240 images per minute
- Duty cycle: 750,000/ 550,000

Produce high quality prints, consistently

Using Konica Minolta technology for colour consistency, high duty cycle, a reliable paper feeding system and accurate front-to-back registration, you'll wow your clients with stunning quality prints time and time again.

Increase Your Efficiency

The AccurioPress produces high quality jobs at high speeds, with simple setup and long-run image stability for better output and less waste. The inline finishing options get the job done right from the start.

Achieve Greater Impact

From envelopes to banners to thick paper including coated and synthetic, the AccurioPress C2070/2060 has superb media versatility and job handling. It opens new possibilities for your clients—and new opportunities for your business.

Expand Your Finishing—and Business—Options

A wide variety of inline finishers creates output that's ready to box without any additional work needed broadening the scope of what you can offer your clients.

Superior High-Speed Scanning and Solution Integration

A new high-speed duplex scanner is an option on the AccurioPress, and easily integrates into existing solutions with support for Open API/ISW.

Reliability You Can Trust

Purposely built to withstand rugged production demands, the AccurioPress comes with integrated software from leading graphic communication industry providers, IT solutions and more. And, as always, backed by the name you've come to trust: Konica Minolta.

Bold, vivid colour. Precision quality.



Great Colour Consistency & Stability

The AccurioPress C2070/C2060 provides superior colour consistency and stability run after run. Inline sensing ensures long-run precision. Automatic density adjustment, improved position accuracy and enhanced front-to-back registration control combine to keep your output stable without the need for operator intervention. And realtime engine calibration is done inline to stabilise colour values. What's more, our enhanced colour feedback system measures both CMYK and RGB, safeguarding colour purity and providing greater accuracy.



Outstanding Quality

Konica Minolta's unique Screen-Enhancing Active Digital (S.E.A.D. V) system combines highly accurate exposure controls, precision pixel placement and advanced screening to achieve resolution equivalent to 3,600 dpi. You'll also have flexible processing and image smoothing control to match the needs of any customer file.



Brilliance that Surpasses Offset Printing

Konica Minolta's next-generation Simitri[®] HDE polymerised toner captures an expanded colour gamut for superior accuracy. Deep blacks make colours pop off the page. Improved magenta makes reds more vivid. And enhanced electrophotographic properties make skin-tones more accurate and natural. Colour comes alive on any paper stock, as our 3-dimensional polymer structure adheres more precisely to rough paper surfaces. And a 10% higher overall percentage of pigment creates rich areas of solid colour and a smooth, natural luster on both glossy and matte stock.



Konica Minolta specialists are there to help your business every step of the way!

Our highly skilled operator trainers will ensure that your Konica Minolta PRESS is working for your print requirements from the very first training session help desk experience and knowledge is only a phone call away, with expert assistance. The technical team offer quick response times to issues and can schedule service times that suit your business.

We've set the standard in colour. Now we're redefining media capability.

At the heart of the AccurioPress C2070/C2060 is versatility — with a range of media options that expand the print products you can offer your clients.



A Multitude of Media Choices

- Print on attention-getting paper stocks up to 350 gsm
- Produce optimized output on textured stocks
- Deliver richer, brighter solid colours on both glossy and matte stocks

Superior Paper Feeding and Registration

A variety of paper feed options including vacuum feed and banner trays are available. Accurate front-toback registration with skew correction is available using a semi-automated adjustment system.

Large Capacity Banner Printing

The AccurioPress C2070/C2060 lets you think big, with a large capacity banner feed tray that prints up to 750mm and holds up to 1,000 banner sheets. Print eye-catching tri-fold brochures, book jacket covers, posters and more. Want to think even bigger? Banners of up to 1,200mm can be printed from the bypass tray.

High-Speed Envelope Printing

A dedicated fusing unit for high-quality and high stability allows you to increase your capabilities and print envelopes, labels and more.

Powerful finishing options that power your business.



A variety of print controllers to meet every need.



Konica Minolta's internal image controller was developed in-house for powerful, affordable colour management.

- Job Centro functionality lets you manage the queue, edit pages, job tickets and much more
- Colour Centro technology lets you edit colour with visible adjustments on screen. You'll have all the colour tools you need, including calibration, tone curve adjustment, an expandable library of spot colours and more
- Fiery and Creo image controller options give graphic professionals advanced colour management and production benefits. Both deliver improved colour performance and upgraded functions, including hot folders, advanced colour profiling, spot colour libraries and integration into third-party systems

A great fit for a variety of print environments ...

Commercial Print

Expanding your capabilities is simple with the AccurioPress C2070/C2060. This versatile press allows you to take advantage of a wide variety of paper stocks, for an even wider variety of applications, including publishing and digital packaging. And our lightning fast controllers connect seamlessly to all types of variable data applications.

In-Plant/CRDs

Rapidly process jobs with an easy-to-use interface, new high-speed dual scanning, great printing quality and robust finishing options.

Print for Pay

The quick print market can expand their opportunities and the type of products they offer their customers with the wide variety of media the AccurioPress C2070/ C2060 can handle. It can print banners, envelopes, and booklets with full bleed.

As well as our global environment

Planet Ark

The Planet Ark program provides costfree recycling for all our consumables, including toner cartridge and bottles. These waste products are recycled into a use-able resource rather than attributed to landfill.

Sustainability

Our exclusive Simitri HDE toner formulation uses plant-based biomass material to reduce environmental impact. Our presses use recycled PC/ABS resins and bioplastics in many of the machine panels, providing a highly resilient material.

EcoVision 2050

We're committed to a mid-century goal of reducing CO2 emissions by 80% from 2005 levels, minimizing greenhouse gases that may contribute to global warming. We pursue that goal every day—minimizing energy consumption, cutting pollution and using recycled materials in construction.

AccurioPress C2070/C2060

Fiery ImageController IC-313		
Туре	Server	
СРИ	Intel [®] Core [™] i5-4570S Processor (6M Cache, up to 3.60 GHz)	
Memory	4 GB	
HDD	1 TB	
Page-description language	Adobe PostScript 3 (3020), PDF 1.7, PPML v3.0GA, APPE 3.0, PCL 5/6 emuration	
Printing method	Printing Method TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour	
Applicable OS	Windows Vista / 7 / 8.1 / 10 / Windows Server 2008 / 2012*1 Mac OS X v10.8 / v10.9 / v10.10	
Interface	10Base-T / 100Base-TX / 1000Base-T	
*1Including 64-bit version	ns.	

Creo Image Controller IC-314		
Туре	Server	
CPU	Intel Core i7-4790S 3.2 GHz	
Memory	12 GB (7 GB: system memory, 5 GB: image memory)	
HDD	3 x 1 TB (1 TB system disk, 2 x 1 TB image disks)	
Page-description language	Adobe Postscript CPSI 3020, APPE 3.4	
Printing method	TCP/IP, SMB, LPR, Bonjour	
Applicable OS	Windows 7/8.1/10/Windows Server 2008/ 2012*1 Mac OS X v10.7/v10.8/v10.9/v10.10/ v10.11	
Interface	1 Gbit Ethernet LAN port x 2	
*1Including 64-bit versions		

Konica Minolta Image Controller IC-603	AccurioPress C2070	AccurioPress C2060	
Туре	AIO to the engine (option)		
CPU	Core i5 2400 3.1 GHz	Pentium G850 2.9 GHz	
Memory	Max. C2070 – 18 GB, C2070P – 16 GB Including UK-104	Max. C2060 – 18 GB including UK-104, C2060L – 14 GB UK-104 not compatible	
HDD	Max. 3.5 TB including UK-104	Max. C2060 – 3.5 TB including UK-104, C2060L – 3 TB UK-104 not compatible	
Page-description language	Adobe PostScript3 (PS3020), PDF direct print (PDF version 1.7), APPE (version 3.4) (UK-104 or UK-214 is required), PDF/VT (version 2.0) (UK-104 or UK-214 is required), TIFF direct print (TIFF version 6 compliance), PPML (version 2.2), PCL-5c compatible, PCL XL (PCL6 version 3) compatible		
Printing method	Pserver (IPX/SPX), LPD / LPR (TCP/IP), IPP (TCP/IP), AppleTalk (EtherTalk), Bonjour (TCP/IP), Web service printing (TCP/IP), NPrinter / RPrinter (IPX/SPX), Raw Port (TCP/IP), SMB		
Applicable OS	PS Plug-in: Windows Vista / 7 / 8.1 / 10*1 Windows Server 2008*1 / 2008R2 / 2012*1 / 2012R2 Mac OS X v10.7 / v10.8 / v10.9 / v10.10 PS PPD*2 : Windows Vista / 7 / 8.1 / 10*1 Windows Server 2008 / 2008R2 / 2012 / 2012R2*1 Linux CUPS		
Interface	Ethernet (1000BASE-T / 100Base-TX / 10Base-T) with IPv6, USB		
Scanner resolution	200/300/400/600 dpi		
Data format	PDF, TIFF, JPEG, XPS		
Driver	HDD Twain Driver, Real Time Mode Twain Driver		

Туре	Embedded
CPU	Intel [®] Celerovn [®] Processor G1820 (2M Cache, 2.70 GHz)
Memory	2 GB
HDD	500 GB SATA
Page-description language	Adobe PostScript3 (PS3020), PDF 1.7), PCL 5/6 emulation
Printing method	TCP/IP, SNMP, SMB, FTP, LPR, IPP, Bonjour
Applicable OS	Windows Vista / 7 / 8.1 /10*1 Windows Server 2008 /2012*1 Mac OS X v10.8 / v10.9 / v10.10

Options		
CR-101	Creaser unit for SD-513	
DF-706	Automatic document feeder	
EF-103	Envelope fuser	
FD-503	Multi-fold punch unit	
FD-504	Square folding unit for SD-513	
FS-532	100-sheet staple finisher	
FS-612	Booklet finisher	
GP-501	GBC multi-hole punch unit	
GP-502	Inline ring binding unit	
HM-102	Humidification unit	
HT-514	Dehumidification heating unit for LU-202m/ LU-202XL	
HT-504	Dehumidification heating unit for PF-602m	
HT-506	Dehumidification heating unit for PF-707	
HT-511	Heating unit for main body trays	
LC-501	Cart for LS-506	
LS-506	Stacking unit	
LU-202m	2,500-sheet paper feed unit	
LU-202XL	2,500-sheet extra long paper feed unit	
MB-506	Multi-Bypass tray	
MK-732	Post-inserter mount kit for FS-532	
MK-740	Banner tray unit	
MK-746	Envelope Print Guide for LU-202m and LU-202XL	
OC-511	Original cover	
OT-510	Open stacker	
OT-511	Output tray	
PB-503	Perfect binder unit	
PF-602m	6,000-sheet paper feed unit	
PF-707	Vacuum paper feed unit	
PI-502	Post inserter	
PK-512	2/3-hole punch kit for FS-612/531	
PK-522	2/3-hole punch for FS-532	
RU-509	Relay unit	
RU-510	Relay unit for GP-501	
SD-506	Booklet making unit	
SD-510	Saddle stitch kit for FS-532	
SD-513	Saddle stitch unit	
TU-503	Trimmer unit for SD-513	

Specifications

System Specifications	AccurioPress C2070	AccurioPress C2060
Resolution	1,200 x 1,200 dpi	1,200 x 1,200 dpi
	(3,600 equivalent)	(3,600 equivalent)
	8-bit, 256 gradations	8-bit, 256 gradations
Paper weight	Standard: 62–256 gsm	Standard: 62–256 gsm
	Opt.: MB-506, LU-202	Opt.: MB-506, LU-202
	XL – 62-300 gsm	XL – 62-300 gsm
	PF-707 – 62-350 gsm	PF-707 – 62-350 gsm
Duplex unit	62–350 gsm	62–350 gsm
Paper sizes (max.)	Standard: 330 x 487 mm	Standard: 330 x 487 mm
	(13" x 19.2")	(13" x 19.2")
	Opt.: MB-506 – 330 x 1200 mm	Opt.: MB-506 – 330 x 1200 mm
	LU-202XL – 330 x 750 mm	LU-202XL – 330 x 750 mm
Image loss (max.)	4 mm or less for top edge, 4.5 mm or less for bottom edge, 3.0	4 mm or less for top edge, 4.5 mm or less for bottom edge, 3.0
	mm or less for right/left edges	mm or less for right/left edges
Paper input capacity	Standard: 1,500 sheets	Standard: 1,500 sheets
	Max.: 7,500 sheets	Max.: 7,500 sheets
Paper output capacity	Max.: LS-506 Stacker – 5,000	Max.: LS-506 Stacker – 5,000
	FS-532 Finisher – 4,500	FS-532 Finisher – 4,500
Main unit dimensions ($W \times D \times H$)	760 x 903 x 1,073mm	760 x 903 x 1,073mm
Main unit weight	316 kg	316 kg
Power requirements	240V, 50Hz, 20 Amp	240V, 50Hz, 20 Amp

Productivity		
A4 (Max. per minute)	71 ppm	61 ppm

Scanner Specifications		
Scan speed (A4)	120 ipm simplex / 240 duplex	120 ipm simplex / 240 duplex
Scan resolution	600 x 600 dpi	600 x 600 dpi
Scan modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan to USB	TWAIN scan; Scan-to-HDD; Scan-to-FTP; Scan-to-SMB; Scan-to-Email; Scan to USB
Scan formats	PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A-1a,1b (with IC-603)	PDF, TIFF, JPEG (all controllers), Secured PDF, Compact PDF, XPS, PDF/A-1a,1b (with IC-603)

Copier Specifications		
Gradations	256 gradations	256 gradations
First copy out	7.1 sec. or less	7.6 sec. or less
Magnification	25-400%, in 0.1% steps	25-400%, in 0.1% steps



Konica Minolta Business Solutions Australia Pty Ltd

Free Call 1800 789 389 konicaminolta.com.au

Demonstration Software Want to learn more? Software Book a demonstration today with an expert Automate your workflow Image: Note that the expert is the experimentation is

Product appearance, configuration and/or specifications are subject to change without notice.

The Konica Minolta logo and the symbol mark, are registered trademarks or trademarks of Konica Minolta Holdings, Inc. bizhub, PageScope, Simitri and the Emperon logo are registered trademarks or trademarks of KONICA MINOLTA BUSNESS TECHNOLOGIES, INC. Windows is registered trademark of Miscrosoft Corporation in the United States and other countries. Adobe and PostScript are registered trademarks or trademarks of Adobe Systems Incorporated. All other brand and product trames are registered trademarks of their respective owners.



Ecology & Environment KONICA MINOLTA copiers and multi-functional products are designed with the environment in mind. • Energy Star • RoHS Compliance • WEEE Compliance

🗥 Requirements for safe use.

Please read and follow the instruction manual to ensure safe operation.
Only operate using appropriate power supply and voltage.

 Connecting the earth wire to an inappropriate place may cause explosion or electric shock. Please connect accordingly (Taiwan and the Philippines only).